```
=> d his nofile


     FILE 'REGISTRY' ENTERED AT 11:55:23 ON 03 MAY 2007

L1             0 SEA ABB=ON  PLU=ON  106292-12-5
                 D SCNA
L2             1 SEA ABB=ON  PLU=ON  106392-12-5
                 D SCAN
                 E (C3H6O.C2H4O)X/MF
L3            20 SEA ABB=ON  PLU=ON  "(C3H6O.C2H4O)X"/MF
L4         41881 SEA ABB=ON  PLU=ON  BLOCK
L5             8 SEA ABB=ON  PLU=ON  L3 AND L4
                 E SORBITOL/CN
L6             1 SEA ABB=ON  PLU=ON  SORBITOL/CN

     FILE 'CAPLUS' ENTERED AT 12:01:17 ON 03 MAY 2007
L7         13210 SEA ABB=ON  PLU=ON  L5
L8          6573 SEA ABB=ON  PLU=ON  POLYNUCLEOTIDES/OBI
L9         73022 SEA ABB=ON  PLU=ON  NUCLEIC ACIDS/OBI
L10       555831 SEA ABB=ON  PLU=ON  DNA/OBI
L11       241228 SEA ABB=ON  PLU=ON  CATION?/OBI
L12       173231 SEA ABB=ON  PLU=ON  SURFACTANT#/OBI
L13        52685 SEA ABB=ON  PLU=ON  QUATERNARY AMMONIUM/OBI
L14        19291 SEA ABB=ON  PLU=ON  (L11 OR L13) (L) L12
L15           22 SEA ABB=ON  PLU=ON  L7 AND ((L8 OR L9 OR L10)) AND L14
L16          179 SEA ABB=ON  PLU=ON  LYPHOLIZ?/OBI OR FREEZE/OBI (2W) DRY/OBI
L17         3511 SEA ABB=ON  PLU=ON  L16 OR LYOPHILIZ?/OBI
L18            1 SEA ABB=ON  PLU=ON  L17 AND L15
L19        33649 SEA ABB=ON  PLU=ON  (LYOPHILIZ? OR FREEZE (2W) DRY?)/BI
L20            8 SEA ABB=ON  PLU=ON  L19 AND L15
L21        30106 SEA ABB=ON  PLU=ON  (FREEZ? (2W) (DRY? OR DRIED))/BI
L22            8 SEA ABB=ON  PLU=ON  L21 AND L15
                 D SCAN TI
L23         6458 SEA ABB=ON  PLU=ON  POLYMERS/CT (L) (BLOCK/OBI OR DIBLOCK/OBI
                 OR TRIBLOCK/OBI)
L24            4 SEA ABB=ON  PLU=ON  L23 AND ((L8 OR L9 OR L10)) AND L14
L25            2 SEA ABB=ON  PLU=ON  L24 AND L21
L26            8 SEA ABB=ON  PLU=ON  L25 OR L22
                 D SCAN TIL L25
L27          111 SEA ABB=ON  PLU=ON  L7 AND ((L8 OR L9 OR L10)) AND L12
L28           22 SEA ABB=ON  PLU=ON  L27 AND L21
L29           14 SEA ABB=ON  PLU=ON  L28 NOT L26
                 D SCAN TI
L30           13 SEA ABB=ON  PLU=ON  L29 AND (63/SX,SC)
L31           14 SEA ABB=ON  PLU=ON  L29 AND (THU/RL OR USES/RL)
L32           13 SEA ABB=ON  PLU=ON  L30 AND L31
L33           31 SEA ABB=ON  PLU=ON  GEALL A?/AU
                 E GEALL A/AU
L34            6 SEA ABB=ON  PLU=ON  L33 AND L7
L35            3 SEA ABB=ON  PLU=ON  L33 AND L21
L36            6 SEA ABB=ON  PLU=ON  L34 OR L35
L37            3 SEA ABB=ON  PLU=ON  L12 AND L33
L38            6 SEA ABB=ON  PLU=ON  L36 OR L37
L39            4 SEA ABB=ON  PLU=ON  L38 NOT (L26 OR L32)
                 D SCAN TI
L40           21 SEA ABB=ON  PLU=ON  L26 OR L32

     FILE 'MEDLINE' ENTERED AT 12:17:09 ON 03 MAY 2007
```

```
                E NUCLEIC ACIDS/CT
                E E3+ALL
L41          2799 SEA ABB=ON  PLU=ON  (?BLOCK (2W) (COPOLYMER? OR POLYMER?))
                E DNA/CT
                E E3+ALL
L42          9165 SEA ABB=ON  PLU=ON  NUCLEIC ACIDS/CT
L43        207273 SEA ABB=ON  PLU=ON  DNA/CT
                E NUCLEOTIDES/CT
                E E3+ALL
L44         15663 SEA ABB=ON  PLU=ON  NUCLEOTIDES/CT
L45           124 SEA ABB=ON  PLU=ON  L41 AND ((L42 OR L43 OR L44))
                E SURFACTANT/CT
                E SURFACTANTS/CT
                E E3+ALL
                E E2+ALL
L46         73130 SEA ABB=ON  PLU=ON  SURFACE-ACTIVE AGENTS+NT/CT
L47            51 SEA ABB=ON  PLU=ON  L46 AND L45
                E LYOPHOLIZ/CT
                E E1+ALL
                E E2+ALL
L48         13579 SEA ABB=ON  PLU=ON  FREEZE DRYING OR LYOPHILIZ?
L49             2 SEA ABB=ON  PLU=ON  L48 AND L47
                D TRIAL
                D TRIAL 2
                D HIT
L50         12003 SEA ABB=ON  PLU=ON  FREEZ? (2W) (DRY? OR DRIED)
L51         90733 SEA ABB=ON  PLU=ON  L46 OR SURFACTANT?
L52            52 SEA ABB=ON  PLU=ON  L51 AND  L45
L53             2 SEA ABB=ON  PLU=ON  L52 AND (L50 OR L48)
L54             2 SEA ABB=ON  PLU=ON  L49 OR L53
L55            11 SEA ABB=ON  PLU=ON  GEALL A?/AU
L56             1 SEA ABB=ON  PLU=ON  L55 AND (L41 OR L46 OR L48 OR L50)
                D ALL
                E POLOXAMER/CT
                E E3+ALL
L57           549 SEA ABB=ON  PLU=ON  L5
L58           882 SEA ABB=ON  PLU=ON  L5 OR POLOXAMER
L59            14 SEA ABB=ON  PLU=ON  L58 AND ((L42 OR L43 OR L44))
L60             0 SEA ABB=ON  PLU=ON  L59 AND (L48 OR L50)
L61             1 SEA ABB=ON  PLU=ON  L55 AND L58


     FILE 'BIOSIS' ENTERED AT 12:41:32 ON 03 MAY 2007
L62          1168 SEA ABB=ON  PLU=ON  L5

     FILE 'REGISTRY' ENTERED AT 12:42:08 ON 03 MAY 2007
L63             1 SEA ABB=ON  PLU=ON  106392-12-5
                D SCAN
                D  IDE
                E POLOXAMER/CN
L64             1 SEA ABB=ON  PLU=ON  POLOXAMER/CN
                D SCAN
L65             1 SEA ABB=ON  PLU=ON  "POLOXAMER 101"/CN
                D SCAN
L66             1 SEA ABB=ON  PLU=ON  "POLOXAMER 180"/CN
                D SCAN
L67             6 SEA ABB=ON  PLU=ON  POLOXAMER
L68             4 SEA ABB=ON  PLU=ON  L67 NOT L5
                D SCAN
```

```
     FILE 'BIOSIS' ENTERED AT 12:44:15 ON 03 MAY 2007
L69         1172 SEA ABB=ON  PLU=ON  L67 OR L5
L70         2033 SEA ABB=ON  PLU=ON  ?BLOCK (2W) (POLYMER OR COPOLYMER)
L71         3045 SEA ABB=ON  PLU=ON  L69 OR L70
L72        32766 SEA ABB=ON  PLU=ON  SURFACE ACTIVE AGENTS OR SURFACTANT#
L73        10048 SEA ABB=ON  PLU=ON  FREEZ? (2A) (DRY? OR DRIED)
L74          488 SEA ABB=ON  PLU=ON  L71 AND L72
L75            3 SEA ABB=ON  PLU=ON  L73 AND L74
L76      1382758 SEA ABB=ON  PLU=ON  (DNA OR NUCLEIC ACID# OR NUCLEOTIDE#)
L77           17 SEA ABB=ON  PLU=ON  L74 AND L76
L78      3475118 SEA ABB=ON  PLU=ON  ?CATION?  OR QUATERNARY AMMONIUM?
L79            9 SEA ABB=ON  PLU=ON  L78 AND L77
L80           12 SEA ABB=ON  PLU=ON  L75 OR L79
L81            2 SEA ABB=ON  PLU=ON  L80 AND POLYCATION?/TI
2             26 SEA ABB=ON  PLU=ON  GEALL A?/AU
L83            0 SEA ABB=ON  PLU=ON  L82 AND (L71)
L84            0 SEA ABB=ON  PLU=ON  L82 AND L73
L85            0 SEA ABB=ON  PLU=ON  L82 AND L72
L86           17 SEA ABB=ON  PLU=ON  L82 AND L76
L87            5 SEA ABB=ON  PLU=ON  L86 AND (L78 OR L72 OR COPOLYMER? OR
                 BLOCK?)
L88            0 SEA ABB=ON  PLU=ON  L86 AND (POLYMER#)
L89           14 SEA ABB=ON  PLU=ON  L71 AND L73
L90            5 SEA ABB=ON  PLU=ON  L89 AND (L72 OR L76)
L91            5 SEA ABB=ON  PLU=ON  L90 OR L75

     FILE 'CAPLUS, MEDLINE, BIOSIS' ENTERED AT 12:52:02 ON 03 MAY 2007
L92           27 DUP REM L40 L54 L91 (1 DUPLICATE REMOVED)
                 ANSWERS '1-21' FROM FILE CAPLUS
                 ANSWERS '22-23' FROM FILE MEDLINE
                 ANSWERS '24-27' FROM FILE BIOSIS
L93            9 DUP REM L39 L61 L87 (1 DUPLICATE REMOVED)
                 ANSWERS '1-4' FROM FILE CAPLUS
                 ANSWERS '5-9' FROM FILE BIOSIS

=> fil reg
FILE 'REGISTRY' ENTERED AT 12:53:15 ON 03 MAY 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES:    2 MAY 2007  HIGHEST RN 934214-84-3
DICTIONARY FILE UPDATES:   2 MAY 2007  HIGHEST RN 934214-84-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006

  Please note that search-term pricing does apply when
  conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document.  For information
on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html
```

```
=> d que l5
L3           20 SEA FILE=REGISTRY ABB=ON  PLU=ON  "(C3H6O.C2H4O)X"/MF
L4        41881 SEA FILE=REGISTRY ABB=ON  PLU=ON  BLOCK
L5            8 SEA FILE=REGISTRY ABB=ON  PLU=ON  L3 AND L4


=> d l5  1-8

L5   ANSWER 1 OF 8  REGISTRY  COPYRIGHT 2007 ACS on STN
RN   869542-68-7  REGISTRY
ED   Entered STN:  08 Dec 2005
CN   Oxirane, methyl-, polymer with oxirane, block, graft (9CI)  (CA
     INDEX NAME)
OTHER NAMES:
CN   Ethylene oxide-propylene oxide block graft copolymer
MF   (C3 H6 O . C2 H4 O)x
CI   PMS, COM
PCT  Polyether, Polyether formed
SR   CA
LC   STN Files:   CA, CAPLUS, TOXCENTER, USPATFULL

     CM   1

     CRN  75-56-9
     CMF  C3 H6 O
```



```
     CM   2

     CRN  75-21-8
     CMF  C2 H4 O
```

```
**PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**

               1 REFERENCES IN FILE CA (1907 TO DATE)
               1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5   ANSWER 2 OF 8  REGISTRY  COPYRIGHT 2007 ACS on STN
RN   849116-14-9  REGISTRY
ED   Entered STN:  25 Apr 2005
CN   Oxirane, methyl-, polymer with oxirane, tetrablock (9CI)  (CA
     INDEX NAME)
MF   (C3 H6 O . C2 H4 O)x
CI   PMS, COM
```

PCT Polyether, Polyether formed
SR CA

CM 1

CRN 75-56-9
CMF C3 H6 O



CM 2

CRN 75-21-8
CMF C2 H4 O

L5 ANSWER 3 OF 8 REGISTRY COPYRIGHT 2007 ACS on STN
RN 848732-85-4 REGISTRY
ED Entered STN: 19 Apr 2005
CN Oxetane, polymer with oxirane, triblock (9CI) (CA INDEX NAME)
MF (C3 H6 O . C2 H4 O)x
CI PMS, COM
PCT Polyether, Polyether formed
SR CA

CM 1

CRN 503-30-0
CMF C3 H6 O

CM 2

CRN 75-21-8
CMF C2 H4 O

L5 ANSWER 4 OF 8 REGISTRY COPYRIGHT 2007 ACS on STN
RN 719273-33-3 REGISTRY
ED Entered STN: 30 Jul 2004
CN Oxirane, methyl-, polymer with oxirane, pentablock (9CI) (CA INDEX NAME)
OTHER NAMES:
CN Oxirane-oxypropylene pentablock copolymer
MF (C3 H6 O . C2 H4 O)x
CI PMS
PCT Polyether, Polyether formed
SR CA
LC STN Files: CA, CAPLUS

CM 1

CRN 75-56-9
CMF C3 H6 O



CM 2

CRN 75-21-8
CMF C2 H4 O

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 5 OF 8 REGISTRY COPYRIGHT 2007 ACS on STN
RN 697765-47-2 REGISTRY
ED Entered STN: 23 Jun 2004
CN Oxirane, 2-methyl-, polymer with oxirane, diblock (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Oxirane, methyl-, polymer with oxirane, diblock (9CI)
OTHER NAMES:
CN Ethylene oxide-propylene oxide diblock copolymer
CN Methyloxirane-oxirane diblock copolymer
CN Oxirane-methyloxirane diblock copolymer
DR 858036-44-9
MF (C3 H6 O . C2 H4 O)x
CI PMS, COM
PCT Polyether, Polyether formed
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

CM 1

CRN 75-56-9
CMF C3 H6 O



CM 2

CRN 75-21-8
CMF C2 H4 O

99 REFERENCES IN FILE CA (1907 TO DATE)
34 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
99 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 6 OF 8 REGISTRY COPYRIGHT 2007 ACS on STN
RN 691397-13-4 REGISTRY
ED Entered STN: 10 Jun 2004
CN Oxirane, 2-methyl-, polymer with oxirane, triblock (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Oxirane, methyl-, polymer with oxirane, triblock (9CI)
OTHER NAMES:
CN Acclaim 2220N
CN Acclaim 4220N
CN Acclaim Polyol PPO 2220N
CN Acclaim Polyol PPO 4220N
CN Adeka Pluronic F 68
CN Adeka Pluronic L 64
CN Adekanol L 61
CN Adekanol L 64
CN Antarox 17R4
CN Antarox 31R1
CN Antarox SC 138
CN Arlatone F 127G
CN Blaunon P 106
CN Blaunon P 304
CN Chemax BP 261
CN Chemex BP 261
CN CRL 1005
CN Epan 410
CN Epan P 45
CN Ethox L 122
CN Ethylene oxide-propylene oxide triblock copolymer
CN F 108

CN F 127
CN F 68
CN F 88
CN L 121
CN L 123
CN L 35
CN L 64
CN Lutrol F 87
CN Lutrol FC 127
CN Lutrol L 42
CN Lutrol L 61
CN Lutrol L 63
CN Lutrol L 72
CN Lutrol L 92
CN Meroxapol 108
CN Meroxapol 174
CN Meroxapol 252
CN Meroxapol 258
CN Meroxapol 311
CN Methyloxirane-oxirane triblock copolymer
CN Newpol PE 61
CN Nissan Plonon 104
CN Nissan Plonon 204
CN Nissan Plonon 208
CN Nissan Plonon 407
CN Novanik 600/20
CN Novanik 600/40
CN Novanik 600/50
CN Oxirane-methyloxirane triblock copolymer
CN Oxirane-oxypropylene triblock copolymer
CN Oxirane-propylene oxide triblock copolymer
CN PEO-PPO-PEO triblock copolymer
CN Propylene oxide-ethylene oxide triblock copolymer
CN Propylene oxide-oxirane triblock copolymer
ADDITIONAL NAMES NOT AVAILABLE IN THIS FORMAT - Use FCN, FIDE, or ALL for DISPLAY
DR 846568-88-5, 846568-89-6, 59392-44-8
MF (C3 H6 O . C2 H4 O)z
CI PMS, COM
PCT Polyether, Polyether formed
SR CA
LC STN Files: CA, CAPLUS, CASREACT, CHEMCATS, TOXCENTER, USPAT2, USPATFULL

CM 1

CRN 75-56-9
CMF C3 H6 O



CM 2

CRN 75-21-8
CMF C2 H4 O

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

3025 REFERENCES IN FILE CA (1907 TO DATE)
117 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
3045 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 7 OF 8 REGISTRY COPYRIGHT 2007 ACS on STN
RN 130584-06-4 REGISTRY
ED Entered STN: 23 Nov 1990
CN Oxetane, polymer with oxirane, block (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Oxirane, polymer with oxetane, block (9CI)
MF (C3 H6 O . C2 H4 O)x
CI PMS
PCT Polyether, Polyether formed
SR CA
LC STN Files: CA, CAPLUS

CM 1

CRN 503-30-0
CMF C3 H6 O

CM 2

CRN 75-21-8
CMF C2 H4 O

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 8 OF 8 REGISTRY COPYRIGHT 2007 ACS on STN
RN 106392-12-5 REGISTRY
ED Entered STN: 31 Jan 1987
CN Oxirane, 2-methyl-, polymer with oxirane, block (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Oxirane, methyl-, polymer with oxirane, block (9CI)

CN Oxirane, polymer with methyloxirane, block (9CI)
OTHER NAMES:
CN Adeka 25R1
CN Adeka 25R2
CN Adeka CM 381
CN Adeka L 61
CN Antarox 17R2
CN Antarox 25R2
CN Antarox B 25
CN Antarox F 108
CN Antarox F 68
CN Antarox F 88
CN Antarox F 88FL
CN Antarox L 61
CN Antarox L 64
CN Antarox L 72
CN Antarox P 104
CN Antarox P 84
CN Arco Polyol R 2633
CN Arcol E 351
CN B 053
CN BASF-L 101
CN Block polyethylene-polypropylene glycol
CN Block polyoxyethylene-polyoxypropylene
CN Breox BL 19-10
CN Caradol ED 56-07
CN Cirrasol ALN-WS
CN Conion AEP 1220
CN Crisvon Assistor SD 14
CN CRL 1029
CN CRL 1190
CN CRL 1605
CN CRL 8131
CN CRL 8142
CN D 500
CN D 500 (polyglycol)
CN Daltocel F 460
CN DC 100
CN Dehypon KE 3557
CN Detalan
CN DO 97
CN Dowfax 30C05
CN ED 56
CN Empilan P 7068
CN Emulgen PP 230
CN Emulsogen V 1816
CN EP 3028
CN Epan 450
CN Epan 485
CN Epan 680
CN Epan 710
CN Epan 740
CN Ethylene glycol-propylene glycol block copolymer
CN Ethylene oxide-nickel-propylene oxide-titanium block graft copolymer
CN Ethylene oxide-propylene oxide block copolymer
CN Ethylene oxide-propylene oxide block copolymer dipropylene glycol ether
CN Ethylene oxide-propylene oxide block copolymer ether with ethylene glycol

CN Ethylene oxide-propylene oxide block copolymer, ether with propylene glycol (2:1)
CN Ethylene oxide-propylene oxide block polymer
CN Ethylene oxide-propylene oxide copolymer, block
CN Methyloxirane-oxirane block copolymer
CN Oxirane-methyloxirane block copolymer
CN Oxirane-propylene oxide block copolymer
CN Oxyethylene-oxypropylene block copolymer
CN Poly(ethylene oxide)-poly(propylene oxide) block copolymer
CN Poly(oxyethylene)-poly(oxypropylene), block
CN Polyethylene glycol-polypropylene glycol block copolymer
CN Polyethylene oxide-polyypropylene oxide block copolymer
CN Polyoxyethylene-polyoxypropylene block copolymer
CN Propylene oxide-ethylene oxide block copolymer
ADDITIONAL NAMES NOT AVAILABLE IN THIS FORMAT - Use FCN, FIDE, or ALL for DISPLAY
DR 912934-92-0, 874281-09-1, 11104-97-5, 162774-62-1, 163516-02-7, 124057-62-1, 121089-00-7, 134092-42-5, 96639-37-1, 96958-14-4, 99040-06-9, 106138-19-6, 113441-83-1, 115742-90-0, 108688-61-5, 108688-62-6, 37349-41-0, 70226-19-6, 72231-62-0, 77108-15-7, 80456-04-8, 144638-32-4, 83589-65-5, 86904-45-2, 106899-85-8, 107498-07-7, 108340-62-1, 178463-44-0, 188815-93-2, 194165-56-5, 197179-49-0, 200338-43-8, 200338-47-2, 211389-05-8, 238075-26-8, 351002-57-8, 355134-17-7, 406160-61-0, 441053-13-0, 441053-14-1
MF (C3 H6 O . C2 H4 O)x
CI PMS, COM
PCT Polyether, Polyether formed
SR CA
LC STN Files: ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, BIOSIS, CA, CAPLUS, CASREACT, CBNB, CHEMCATS, CHEMLIST, CIN, CSCHEM, DDFU, DRUGU, IMSDRUGNEWS, IMSRESEARCH, IPA, MEDLINE, MRCK*, PHAR, PIRA, PROMT, RTECS*, TOXCENTER, USAN, USPAT2, USPATFULL
(*File contains numerically searchable property data)

CM 1

CRN 75-56-9
CMF C3 H6 O



CM 2

CRN 75-21-8
CMF C2 H4 O

```
**PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**

           10943 REFERENCES IN FILE CA (1907 TO DATE)
             940 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
           10991 REFERENCES IN FILE CAPLUS (1907 TO DATE)


=> fil caplus medline biosis
FILE 'CAPLUS' ENTERED AT 12:53:37 ON 03 MAY 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'MEDLINE' ENTERED AT 12:53:37 ON 03 MAY 2007

FILE 'BIOSIS' ENTERED AT 12:53:37 ON 03 MAY 2007
Copyright (c) 2007 The Thomson Corporation

=> d que l92
L3            20 SEA FILE=REGISTRY ABB=ON  PLU=ON  "(C3H6O.C2H4O)X"/MF
L4         41881 SEA FILE=REGISTRY ABB=ON  PLU=ON  BLOCK
L5             8 SEA FILE=REGISTRY ABB=ON  PLU=ON  L3 AND L4
L7         13210 SEA FILE=CAPLUS ABB=ON  PLU=ON  L5
L8          6573 SEA FILE=CAPLUS ABB=ON  PLU=ON  POLYNUCLEOTIDES/OBI
L9         73022 SEA FILE=CAPLUS ABB=ON  PLU=ON  NUCLEIC ACIDS/OBI
L10       555831 SEA FILE=CAPLUS ABB=ON  PLU=ON  DNA/OBI
L11       241228 SEA FILE=CAPLUS ABB=ON  PLU=ON  CATION?/OBI
L12       173231 SEA FILE=CAPLUS ABB=ON  PLU=ON  SURFACTANT#/OBI
L13        52685 SEA FILE=CAPLUS ABB=ON  PLU=ON  QUATERNARY AMMONIUM/OBI
L14        19291 SEA FILE=CAPLUS ABB=ON  PLU=ON  (L11 OR L13) (L) L12
L15           22 SEA FILE=CAPLUS ABB=ON  PLU=ON  L7 AND ((L8 OR L9 OR L10)) AND
                 L14
L21        30106 SEA FILE=CAPLUS ABB=ON  PLU=ON  (FREEZ? (2W) (DRY? OR DRIED))/B
                 I
L22            8 SEA FILE=CAPLUS ABB=ON  PLU=ON  L21 AND L15
L23         6458 SEA FILE=CAPLUS ABB=ON  PLU=ON  POLYMERS/CT (L) (BLOCK/OBI OR
                 DIBLOCK/OBI OR TRIBLOCK/OBI)
L24            4 SEA FILE=CAPLUS ABB=ON  PLU=ON  L23 AND ((L8 OR L9 OR L10))
                 AND L14
L25            2 SEA FILE=CAPLUS ABB=ON  PLU=ON  L24 AND L21
L26            8 SEA FILE=CAPLUS ABB=ON  PLU=ON  L25 OR L22
L27          111 SEA FILE=CAPLUS ABB=ON  PLU=ON  L7 AND ((L8 OR L9 OR L10)) AND
                 L12
L28           22 SEA FILE=CAPLUS ABB=ON  PLU=ON  L27 AND L21
L29           14 SEA FILE=CAPLUS ABB=ON  PLU=ON  L28 NOT L26
L30           13 SEA FILE=CAPLUS ABB=ON  PLU=ON  L29 AND (63/SX,SC)
L31           14 SEA FILE=CAPLUS ABB=ON  PLU=ON  L29 AND (THU/RL OR USES/RL)
L32           13 SEA FILE=CAPLUS ABB=ON  PLU=ON  L30 AND L31
L40           21 SEA FILE=CAPLUS ABB=ON  PLU=ON  L26 OR L32
L41         2799 SEA FILE=MEDLINE ABB=ON  PLU=ON  (?BLOCK (2W) (COPOLYMER? OR
                 POLYMER?))
L42         9165 SEA FILE=MEDLINE ABB=ON  PLU=ON  NUCLEIC ACIDS/CT
L43       207273 SEA FILE=MEDLINE ABB=ON  PLU=ON  DNA/CT
L44        15663 SEA FILE=MEDLINE ABB=ON  PLU=ON  NUCLEOTIDES/CT
L45          124 SEA FILE=MEDLINE ABB=ON  PLU=ON  L41 AND ((L42 OR L43 OR L44))

L46        73130 SEA FILE=MEDLINE ABB=ON  PLU=ON  SURFACE-ACTIVE AGENTS+NT/CT
L47           51 SEA FILE=MEDLINE ABB=ON  PLU=ON  L46 AND L45
L48        13579 SEA FILE=MEDLINE ABB=ON  PLU=ON  FREEZE DRYING OR LYOPHILIZ?
L49            2 SEA FILE=MEDLINE ABB=ON  PLU=ON  L48 AND L47
```

```
L50       12003 SEA FILE=MEDLINE ABB=ON  PLU=ON  FREEZ? (2W) (DRY? OR DRIED)
L51       90733 SEA FILE=MEDLINE ABB=ON  PLU=ON  L46 OR SURFACTANT?
L52          52 SEA FILE=MEDLINE ABB=ON  PLU=ON  L51 AND  L45
L53           2 SEA FILE=MEDLINE ABB=ON  PLU=ON  L52 AND (L50 OR L48)
L54           2 SEA FILE=MEDLINE ABB=ON  PLU=ON  L49 OR L53
L67           6 SEA FILE=REGISTRY ABB=ON  PLU=ON  POLOXAMER
L69        1172 SEA FILE=BIOSIS ABB=ON  PLU=ON  L67 OR L5
L70        2033 SEA FILE=BIOSIS ABB=ON  PLU=ON  ?BLOCK (2W) (POLYMER OR
                COPOLYMER)
L71        3045 SEA FILE=BIOSIS ABB=ON  PLU=ON  L69 OR L70
L72       32766 SEA FILE=BIOSIS ABB=ON  PLU=ON  SURFACE ACTIVE AGENTS OR
                SURFACTANT#
L73       10048 SEA FILE=BIOSIS ABB=ON  PLU=ON  FREEZ? (2A) (DRY? OR DRIED)
L74         488 SEA FILE=BIOSIS ABB=ON  PLU=ON  L71 AND L72
L75           3 SEA FILE=BIOSIS ABB=ON  PLU=ON  L73 AND L74
L76     1382758 SEA FILE=BIOSIS ABB=ON  PLU=ON  (DNA OR NUCLEIC ACID# OR
                NUCLEOTIDE#)
L89          14 SEA FILE=BIOSIS ABB=ON  PLU=ON  L71 AND L73
L90           5 SEA FILE=BIOSIS ABB=ON  PLU=ON  L89 AND (L72 OR L76)
L91           5 SEA FILE=BIOSIS ABB=ON  PLU=ON  L90 OR L75
L92          27 DUP REM L40 L54 L91 (1 DUPLICATE REMOVED)


=> d que l93
L3           20 SEA FILE=REGISTRY ABB=ON  PLU=ON  "(C3H6O.C2H4O)X"/MF
L4        41881 SEA FILE=REGISTRY ABB=ON  PLU=ON  BLOCK
L5            8 SEA FILE=REGISTRY ABB=ON  PLU=ON  L3 AND L4
L7        13210 SEA FILE=CAPLUS ABB=ON  PLU=ON  L5
L8         6573 SEA FILE=CAPLUS ABB=ON  PLU=ON  POLYNUCLEOTIDES/OBI
L9        73022 SEA FILE=CAPLUS ABB=ON  PLU=ON  NUCLEIC ACIDS/OBI
L10      555831 SEA FILE=CAPLUS ABB=ON  PLU=ON  DNA/OBI
L11      241228 SEA FILE=CAPLUS ABB=ON  PLU=ON  CATION?/OBI
L12      173231 SEA FILE=CAPLUS ABB=ON  PLU=ON  SURFACTANT#/OBI
L13       52685 SEA FILE=CAPLUS ABB=ON  PLU=ON  QUATERNARY AMMONIUM/OBI
L14       19291 SEA FILE=CAPLUS ABB=ON  PLU=ON  (L11 OR L13) (L) L12
L15          22 SEA FILE=CAPLUS ABB=ON  PLU=ON  L7 AND ((L8 OR L9 OR L10)) AND
                L14
L21       30106 SEA FILE=CAPLUS ABB=ON  PLU=ON  (FREEZ? (2W) (DRY? OR DRIED))/B
                I
L22           8 SEA FILE=CAPLUS ABB=ON  PLU=ON  L21 AND L15
L23        6458 SEA FILE=CAPLUS ABB=ON  PLU=ON  POLYMERS/CT (L) (BLOCK/OBI OR
                DIBLOCK/OBI OR TRIBLOCK/OBI)
L24           4 SEA FILE=CAPLUS ABB=ON  PLU=ON  L23 AND ((L8 OR L9 OR L10))
                AND L14
L25           2 SEA FILE=CAPLUS ABB=ON  PLU=ON  L24 AND L21
L26           8 SEA FILE=CAPLUS ABB=ON  PLU=ON  L25 OR L22
L27         111 SEA FILE=CAPLUS ABB=ON  PLU=ON  L7 AND ((L8 OR L9 OR L10)) AND
                L12
L28          22 SEA FILE=CAPLUS ABB=ON  PLU=ON  L27 AND L21
L29          14 SEA FILE=CAPLUS ABB=ON  PLU=ON  L28 NOT L26
L30          13 SEA FILE=CAPLUS ABB=ON  PLU=ON  L29 AND (63/SX,SC)
L31          14 SEA FILE=CAPLUS ABB=ON  PLU=ON  L29 AND (THU/RL OR USES/RL)
L32          13 SEA FILE=CAPLUS ABB=ON  PLU=ON  L30 AND L31
L33          31 SEA FILE=CAPLUS ABB=ON  PLU=ON  GEALL A?/AU
L34           6 SEA FILE=CAPLUS ABB=ON  PLU=ON  L33 AND L7
L35           3 SEA FILE=CAPLUS ABB=ON  PLU=ON  L33 AND L21
L36           6 SEA FILE=CAPLUS ABB=ON  PLU=ON  L34 OR L35
L37           3 SEA FILE=CAPLUS ABB=ON  PLU=ON  L12 AND L33
L38           6 SEA FILE=CAPLUS ABB=ON  PLU=ON  L36 OR L37
L39           4 SEA FILE=CAPLUS ABB=ON  PLU=ON  L38 NOT (L26 OR L32)
```

```
L55          11 SEA FILE=MEDLINE ABB=ON  PLU=ON  GEALL A?/AU
L58         882 SEA FILE=MEDLINE ABB=ON  PLU=ON  L5 OR POLOXAMER
L61           1 SEA FILE=MEDLINE ABB=ON  PLU=ON  L55 AND L58
L72       32766 SEA FILE=BIOSIS ABB=ON  PLU=ON  SURFACE ACTIVE AGENTS OR
                SURFACTANT#
L76     1382758 SEA FILE=BIOSIS ABB=ON  PLU=ON  (DNA OR NUCLEIC ACID# OR
                NUCLEOTIDE#)
L78     3475118 SEA FILE=BIOSIS ABB=ON  PLU=ON  ?CATION?  OR QUATERNARY
                AMMONIUM?
L82          26 SEA FILE=BIOSIS ABB=ON  PLU=ON  GEALL A?/AU
L86          17 SEA FILE=BIOSIS ABB=ON  PLU=ON  L82 AND L76
L87           5 SEA FILE=BIOSIS ABB=ON  PLU=ON  L86 AND (L78 OR L72 OR
                COPOLYMER? OR BLOCK?)
L93           9 DUP REM L39 L61 L87 (1 DUPLICATE REMOVED)


=> d .ca l92 1-21; d ibib ab ct l92 22-27; d ibib ab l93 1-9

L92  ANSWER 1 OF 27  CAPLUS  COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER:         2007:380247  CAPLUS  Full-text
DOCUMENT NUMBER:          146:387103
TITLE:                    Polymeric nanoparticle for enhanced absorption of
                          biologically active agents
INVENTOR(S):              Sonavane, Ganeshchandra Shivajirao; Gala, Hetal
                          Jayantilal; Devarajan, Padma Venkitachalam
PATENT ASSIGNEE(S):       India
SOURCE:                   PCT Int. Appl., 25pp.
                          CODEN: PIXXD2
DOCUMENT TYPE:            Patent
LANGUAGE:                 English
FAMILY ACC. NUM. COUNT:   1
PATENT INFORMATION:

     PATENT NO.           KIND   DATE        APPLICATION NO.         DATE
     ---------------      ----   --------    --------------------    --------
     WO 2007036946         A1    20070405    WO 2005-IN328           20050928
         W:  AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ,
             LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ,
             NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG,
             SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN,
             YU, ZA, ZM, ZW
         RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
             IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
             CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
             GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
             KG, KZ, MD, RU, TJ, TM
PRIORITY APPLN. INFO.:                       WO 2005-IN328           20050928
ED   Entered STN:  05 Apr 2007
AB   The present invention relates to a novel pharmaceutical composition comprising
     polymeric nanoparticles with one or more biol. active agent/s for mucosal and
     or oral administration.  Said polymeric nanoparticles further comprise of an
     agent that enhances absorption of said biol. active agent/s.  The compns. are
     formulated as powders, sprays, suspension, freeze dried powders for
     reconstitution, tablets, capsules, pellets, wafers, patches, films, rods,
     pessaries, suppositories, aerosols, bioadhesive gels, creams.  Thus, alginic
     acid 70 mg was dissolved in 0.025 N sodium hydroxide 20 mL.  Insulin 30 mg was
     dissolve in the dilute sodium hydroxide and added to above polymer solution
     under stirring.  Nanoparticles were generated by controlled precipitation
```

using 0.025 N hydrochloric acid in the presence of surfactant Pluronic F 68 25 mg. Nanoparticles were separated by ultracentrifugation followed by washing of the sediment with distilled water. The sediment of nanoparticles containing drug was dispersed in water and surfactant and homogenized. The aqueous solution of absorption enhancer niacinamide 20 mg was mixed with homogenized nanoparticle suspension and mixture was freeze dried.

CC 63-6 (Pharmaceuticals)
Section cross-reference(s): 1

IT Polysaccharides, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(acidic; polymeric nanoparticle for enhanced absorption of biol. active agents)

IT Nucleic acids
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(analogs; polymeric nanoparticle for enhanced absorption of biol. active agents)

IT Drug delivery systems
(freeze-dried; polymeric nanoparticle for enhanced absorption of biol. active agents)

IT Drug bioavailability
Surfactants
Vaccines
(polymeric nanoparticle for enhanced absorption of biol. active agents)

IT Oligonucleotides
Peptides, biological studies
Polyanhydrides
Proteins
Tocopherols
Vitamins
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(polymeric nanoparticle for enhanced absorption of biol. active agents)

IT 98-92-0, Niacinamide
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(AE-1; polymeric nanoparticle for enhanced absorption of biol. active agents)

IT 9004-10-8, Insulin, biological studies
RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(polymeric nanoparticle for enhanced absorption of biol. active agents)

IT 68-19-9D, Cyanocobalamin, derivative 98-92-0D, Niacinamide, derivative 9005-32-7, Protacid F 120 9011-16-9D, Maleic anhydride-methyl vinyl ether copolymer, derivative 9012-76-4, Chitosan 106392-12-5, Poloxamer 691397-13-4, Pluronic F68
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(polymeric nanoparticle for enhanced absorption of biol. active agents)

REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L92 ANSWER 2 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2006:1312265 CAPLUS Full-text
DOCUMENT NUMBER: 146:68695
TITLE: Methods and compositions for the treatment of ocular disorders
INVENTOR(S): Dellamary, Luis A.; Tabak, Arek; Yee, Shiyin
PATENT ASSIGNEE(S): Targegen, Inc., USA

SOURCE: PCT Int. Appl., 69pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006133411	A1	20061214	WO 2006-US22480	20060607
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
US 2006292203	A1	20061228	US 2006-449219	20060607
PRIORITY APPLN. INFO.:			US 2005-689111P P	20050608
			US 2006-763537P P	20060130

OTHER SOURCE(S): MARPAT 146:68695
ED Entered STN: 15 Dec 2006
AB The invention provides methods and compns. for the delivery of lipophilic drugs that are useful for the treatment of various ophthahnol. diseases, disorders, and pathologies, including the treatment of age-related macular degeneration, diabetic retinopathy, diabetic macular edema, cancer, and glaucoma. An active compound was mixed withhydrogenated phosphatydylcholine and suspended in 5% dextrose. The composition was sonicated for two hours to reduce the particle size in the range 5-10 μm and the final pH was adjusted to 5.5. This suspension was diluted with 5% dextrose to give a final drug concentration of 3 mg of active agent/mL.
CC 63-6 (Pharmaceuticals)
Section cross-reference(s): 1
IT Phosphatidylcholines, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(hydrogenated; methods and compns. for the treatment of ocular disorders)
IT Allergy inhibitors
Analgesics
Anemia (disease)
Anesthetics
Anti-inflammatory agents
Antibiotics
Antiglaucoma agents
Antihistamines
Antimigraine agents
Antioxidants
Antitumor agents
Antiviral agents
Autoclaves
Bronchodilators
Cardiovascular agents
Cholinergic antagonists
Edema

Eye
Eye, disease
Freeze drying
Glaucoma (disease)
Leukotriene antagonists
Molecular weight
Neoplasm
Particle size distribution
Pharmacokinetics
Radical scavengers
Solubility
Solubilizers
Stabilizing agents
Sterilization and Disinfection
Surface area
Tuberculostatics
Wetting agents
(methods and compns. for the treatment of ocular disorders)

IT Agglutinins and Lectins
Cardiolipins
Fatty acids, biological studies
Glycerophospholipids
Peptides, biological studies
Phosphatidylcholines, biological studies
Phosphatidylethanolamines, biological studies
Phospholipids, biological studies
Polynucleotides
Polyoxyalkylenes, biological studies
Proteins
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(methods and compns. for the treatment of ocular disorders)

IT Surfactants
(nonionic; methods and compns. for the treatment of ocular disorders)

IT Polyoxyalkylenes, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(phenolic; methods and compns. for the treatment of ocular disorders)

IT Phenolic resins, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(polyoxyalkylene-; methods and compns. for the treatment of ocular disorders)

IT Double stranded RNA
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(small interfering; methods and compns. for the treatment of ocular disorders)

IT 867330-27-6 867330-68-5 867330-96-9 867331-07-5 867331-64-4
867331-82-6 867334-05-2 916728-52-4 916728-55-7 916728-56-8
916728-57-9 916728-58-0
RL: PKT (Pharmacokinetics); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(methods and compns. for the treatment of ocular disorders)

IT 9000-92-4, Amylase 9002-89-5, Poly(vinyl alcohol) 9003-01-4D, derivs.
9003-39-8, Polyvinylpyrrolidone 9004-32-4 9004-54-0, Dextran,
biological studies 9004-62-0, Hydroxyethyl cellulose 9004-65-3,
Hydroxypropyl methyl cellulose 9004-67-5, Methyl cellulose 9005-25-8,
Starch, biological studies 9005-64-5 9005-65-6, Tween 80 18656-38-7,
DMPC 25087-26-7D, derivs. 25301-02-4, Tyloxapol 25322-68-3,

Polyethylene glycol 106392-12-5, Poloxamer 867330-93-6
867330-95-8 867330-97-0 867333-71-9 867334-50-7 867334-61-0
867338-53-2 867338-55-4 910904-21-1 910905-97-4 910907-24-3
916728-53-5 916728-54-6
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(methods and compns. for the treatment of ocular disorders)
REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L92 ANSWER 3 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2005:612129 CAPLUS Full-text
DOCUMENT NUMBER: 143:139166
TITLE: Assembly of gas-filled microvesicle with active component for contrast imaging
INVENTOR(S): Schneider, Michel; Bussat, Philippe; Yan, Feng; Senente, Anne
PATENT ASSIGNEE(S): Bracco Research S. A., Switz.
SOURCE: PCT Int. Appl., 93 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005063306	A1	20050714	WO 2004-IB4233	20041221
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2004308757	A1	20050714	AU 2004-308757	20041221
CA 2545362	A1	20050714	CA 2004-2545362	20041221
EP 1696965	A1	20060906	EP 2004-806412	20041221
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS				
CN 1897978	A	20070117	CN 2004-80038618	20041221
NO 2006003420	A	20060922	NO 2006-3420	20060724
US 2007081946	A1	20070412	US 2006-584382	20060921
PRIORITY APPLN. INFO.:			EP 2003-79014 A	20031222
			WO 2004-IB4233 W	20041221

ED Entered STN: 15 Jul 2005
AB Assembly comprising a gas-filled microvesicle and a structural entity which is capable to associate through an electrostatic interaction to the outer surface of said microvesicle (microvesicle associated component - MAC), thereby modifying the physico-chemical properties thereof. Said MAC comprises a targeting ligand, a diagnostic agent or any combination thereof. Optionally a bioactive agent can further be associated to the MAC. The assembly of the invention can be formed from gas-filled microbubbles or microballoons and a MAC having preferably nanometric dimensions, e.g. a micelle, and is used as an active component in diagnostically and/or therapeutically active formulations, in particular for enhancing the imaging in the field of ultrasound contrast

imaging, including targeted ultrasound imaging, ultrasound-mediated drug delivery and other imaging techniques such as mol. resonance imaging (MRI) or nuclear imaging.

IC ICM A61K049-22
ICS A61K051-12; A61K047-48; A61K041-00

CC 63-6 (Pharmaceuticals)
Section cross-reference(s): 8, 9

IT Antibodies and Immunoglobulins
RL: DGN (Diagnostic use); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(fragments, targeting ligand; gas-filled microvesicle assembly for contrast imaging)

IT Drug delivery systems
Fluorescent indicators
Freeze drying
Test kits
Zeta potential
(gas-filled microvesicle assembly for contrast imaging)

IT Fatty acids, biological studies
Lipids, biological studies
Phosphatidic acids
Phosphatidylcholines, biological studies
Phosphatidylethanolamines, biological studies
Phosphatidylglycerols
Phosphatidylserines
Polymers, biological studies
Proteins
Quaternary ammonium compounds, biological studies
Sphingomyelins
RL: DGN (Diagnostic use); BIOL (Biological study); USES (Uses)
(gas-filled microvesicle assembly for contrast imaging)

IT Phospholipids, biological studies
Polyoxyalkylenes, biological studies
RL: DGN (Diagnostic use); PEP (Physical, engineering or chemical process); PRP (Properties); PYP (Physical process); BIOL (Biological study); PROC (Process); USES (Uses)
(gas-filled microvesicle assembly for contrast imaging)

IT Surfactants
(polymeric; gas-filled microvesicle assembly for contrast imaging)

IT Agglutinins and Lectins
Antibodies and Immunoglobulins
Carbohydrates, biological studies
Glycoproteins
Hormones, animal, biological studies
Nucleosides, biological studies
Nucleotides, biological studies
Peptides, biological studies
Polynucleotides
Polysaccharides, biological studies
Steroids, biological studies
Vitamins
RL: DGN (Diagnostic use); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(targeting ligand; gas-filled microvesicle assembly for contrast imaging)

IT 81-25-4D, Cholic acid, salts 83-44-3D, Deoxycholic acid, salts 475-31-0D, Glycocholic acid, salts 25322-68-3D, derivs.
RL: DGN (Diagnostic use); BIOL (Biological study); USES (Uses)
(gas-filled microvesicle assembly for contrast imaging)

IT 63-89-8, Dipalmitoylphosphatidylcholine 68-04-2, Sodium citrate

302-95-4, Sodium deoxycholate 555-44-2, Tripalmitin 816-94-4, DSPC 1309-38-2, Magnetite, biological studies 1397-89-3, Fungizone 7440-57-5, Gold, biological studies 14276-65-4, Gadolinium 153, biological studies 17688-29-8, Dapc 25322-68-3, Peg 28462-56-8 71065-87-7 80755-87-9 118301-40-9 170931-04-1, Dspe-peg 185463-23-4, Dppg 200880-42-8 216165-62-7 220609-41-6, DSTAP chloride 384835-54-5 419566-52-2 691397-13-4, Pluronic F68 858069-13-3, Ethyl SPC 3 858095-54-2, DSPE-PTE 020
RL: DGN (Diagnostic use); PEP (Physical, engineering or chemical process); PRP (Properties); PYP (Physical process); BIOL (Biological study); PROC (Process); USES (Uses)
(gas-filled microvesicle assembly for contrast imaging)

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L92 ANSWER 4 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2005:1265165 CAPLUS Full-text
DOCUMENT NUMBER: 144:11658
TITLE: Method and formulation for transdermal delivery of immunogens
INVENTOR(S): Maa, Yuh-Fun; Ameri, Mahmoud; Sellers, Scott
PATENT ASSIGNEE(S): USA
SOURCE: U.S. Pat. Appl. Publ., 16 pp.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
US 2005266011	A1	20051201	US 2005-112311		20050421
PRIORITY APPLN. INFO.:			US 2004-572861P	P	20040519

ED Entered STN: 02 Dec 2005
AB A method for formulating an immunol. active agent and an apparatus for its delivery are described, the method comprising the steps of providing a bulk immunol. active agent, subjecting the bulk immunol. active agent to tangential-flow filtration to provide an immunol. active agent solution, adding at least one excipient to the agent solution and spray-drying the agent solution to form an immunol. active agent product. The apparatus comprises a microprojection member that includes a plurality of microprojections having a biocompatible coating disposed thereon that includes a spray-dried immunol. active agent. In a preferred embodiment, the immunol. active agent comprises an influenza vaccine, more preferably, a split-varion influenza vaccine. Thus, formulations were prepared using a monovalent B/Victoria strain of hemagglutinin, Formulation C comprising antigen and sucrose (1:4) and Formulation D comprising antigen, trehalose and mannitol (1:2:2). Formulations were spray-dried SD and freeze dried (FD) and then subjected to bicinchoninic acid (BCA) protein anal. and SRID (single radio-immuno diffusion) potency anal. The BCA assay of the SD and FD formulations demonstrated that both methods of stabilization resulted in full recovery of the hemagglutinin antigen. SRID anal. demonstrated that spray-drying provides potency retention of approx. 70% for Formulation C and approx. 80% for Formulation D. The results thus demonstrate that spray-drying is a viable means for stabilizing immunol. active agents, while offering great economy and efficiency with respect to lyophilization.
IC ICM A61K039-00
INCL 424184100
CC 63-6 (Pharmaceuticals)
Section cross-reference(s): 15

IT Polymers, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(block; preparation of immunogen formulations for transdermal delivery by microprojection apparatus)
IT Toxins
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(cholera, B subunit; preparation of immunogen formulations for transdermal delivery by microprojection apparatus)
IT Polysaccharides, biological studies
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(conjugates; preparation of immunogen formulations for transdermal delivery by microprojection apparatus)
IT Toxoids
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(diphtheria, vaccine; preparation of immunogen formulations for transdermal delivery by microprojection apparatus)
IT Toxoids
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(pertussis, vaccine; preparation of immunogen formulations for transdermal delivery by microprojection apparatus)
IT Animal virus
Bordetella pertussis
Clostridium tetani
Corynebacterium diphtheriae
Cytomegalovirus
Eubacteria
Hepatitis B virus
Hepatitis C virus
Human
Human herpesvirus 3
Human papillomavirus
Human papillomavirus 11
Human papillomavirus 16
Human papillomavirus 18
Human papillomavirus 6
Legionella pneumophila
Neisseria meningitidis
Pseudomonas aeruginosa
Streptococcus group A
Streptococcus pneumoniae
Surfactants
Treponema pallidum
Vaccines
Vibrio cholerae
(preparation of immunogen formulations for transdermal delivery by microprojection apparatus)
IT Antigens
Glycoconjugates
Glycoproteins
Hemagglutinins
Lipoproteins
Nucleic acids

Oligosaccharides, biological studies
Proteins
RL: PEP (Physical, engineering or chemical process); PRP (Properties); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(preparation of immunogen formulations for transdermal delivery by microprojection apparatus)

IT Carbohydrates, biological studies
Disaccharides
Interleukin 12
Interleukin 15
Interleukin 18
Interleukin 2
Monosaccharides
Polyoxyalkylenes, biological studies
Polysaccharides, biological studies
Salts, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preparation of immunogen formulations for transdermal delivery by microprojection apparatus)

IT Carbohydrates, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(reducing sugars; preparation of immunogen formulations for transdermal delivery by microprojection apparatus)

IT Interferons
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(γ; preparation of immunogen formulations for transdermal delivery by microprojection apparatus)

IT 83461-56-7, MTP-PE
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(liposomes; preparation of immunogen formulations for transdermal delivery by microprojection apparatus)

IT 56-40-6, Glycine, biological studies 57-50-1, Sucrose, biological studies 69-65-8, D-Mannitol 77-92-9, Citric acid, biological studies 87-69-4, Tartaric acid, biological studies 99-20-7, Trehalose 107-64-2, Dimethyldioctadecylammonium chloride 7487-88-9, Magnesium sulfate, biological studies 7632-05-5, Sodium phosphate 7778-18-9, Calcium sulfate 7784-30-7, Aluminum phosphate 9004-10-8, Insulin, biological studies 9004-34-6, Cellulose, biological studies 9005-25-8, Starch, biological studies 9012-72-0, Glucan 9041-22-9, β-Glucan 10103-46-5, Calcium phosphate 12619-70-4, Cyclodextrin 21645-51-2, Aluminum hydroxide, biological studies 25322-68-3 25702-74-3 40816-53-3 60355-78-4, Murametide 66112-59-2, N-Acetylmuramyl-L-threonyl-D-isoglutamine 70280-03-4, GMDP 99011-02-6, Imiquimod 112668-45-8 141256-04-4, QS-21 143005-30-5, ImmTher 144875-48-9, S-28463 159940-37-1, Pleuran 213018-95-2, Gerbu vaccine adjuvant 497929-24-5 691397-13-4, CRL 1005 852155-92-1
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preparation of immunogen formulations for transdermal delivery by microprojection apparatus)

L92 ANSWER 5 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2005:1077903 CAPLUS Full-text
DOCUMENT NUMBER: 143:373324
TITLE: Apparatus and method for transdermal delivery of

influenza vaccine
INVENTOR(S): Maa, Yuh-Fun; Sellers, Scott; Matriano, James; Ramdas, Asha
PATENT ASSIGNEE(S): USA
SOURCE: U.S. Pat. Appl. Publ., 35 pp.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2005220854	A1	20051006	US 2005-84631	20050318
AU 2005232541	A1	20051027	AU 2005-232541	20050318
CA 2562932	A1	20051027	CA 2005-2562932	20050318
WO 2005099751	A2	20051027	WO 2005-US9148	20050318
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1734993	A2	20061227	EP 2005-728255	20050318
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, BA, HR, LV, MK, YU				

PRIORITY APPLN. INFO.: US 2004-559153P P 20040401
WO 2005-US9148 W 20050318

ED Entered STN: 07 Oct 2005

AB An apparatus and method for transdermally delivering an immunol. active agent comprising a delivery system having a microprojection member (or system) that includes a plurality of microprojections (or array thereof) that are adapted to pierce through the stratum corneum into the underlying epidermis layer, or epidermis and dermis layers, the microprojection member having a biocompatible coating disposed thereon that includes the immunol. active agent. Preferably, the biocompatible coating is formed from a vaccine coating formulation. Thus, a formulation contained hemagglutinin 5, trehalose 2.5, and mannitol 2.5%.

IC ICM A61K039-12
ICS A61K039-02; A61K009-70; A61M031-00
INCL 424449000; 424204100; 424234100; 604500000
CC 63-6 (Pharmaceuticals)
IT Proteins
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(E7; apparatus and method for transdermal delivery of influenza vaccine)
IT Proteins
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(M; apparatus and method for transdermal delivery of influenza vaccine)
IT Proteins
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(NF κ B regulatory signaling; apparatus and method for transdermal delivery of influenza vaccine)

IT Proteins
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(OMP (outer membrane protein); apparatus and method for transdermal delivery
of influenza vaccine)
IT Alcohols, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkoxylated; apparatus and method for transdermal delivery of influenza vaccine)
IT Polyoxyalkylenes, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkyl group-terminated; apparatus and method for transdermal delivery of influenza vaccine)
IT Quaternary ammonium compounds, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkylbenzyldimethyl, chlorides; apparatus and method for transdermal delivery of influenza vaccine)
IT Animal virus
Anti-inflammatory agents
Bordetella pertussis
Clostridium tetani
Coating materials
Corynebacterium diphtheriae
Cosmids
Cytomegalovirus
Eubacteria
Freeze drying
Hepatitis B virus
Hepatitis C virus
Human
Human herpesvirus 3
Human papillomavirus
Human papillomavirus 11
Human papillomavirus 16
Human papillomavirus 18
Human papillomavirus 6
Legionella pneumophila
Neisseria meningitidis
Pseudomonas aeruginosa
Rubella virus
Stabilizing agents
Streptococcus group A
Streptococcus pneumoniae
Surfactants
Treponema pallidum
Vasoconstrictors
Vibrio cholerae
Viscosity
(apparatus and method for transdermal delivery of influenza vaccine)
IT Albumins, biological studies
Amino acids, biological studies
Glycoproteins
Hemagglutinins
Interleukin 10
Interleukin 12
Interleukin 15

```
     Interleukin 18
     Interleukin 2
     Interleukin 4
     Lipoproteins
       Nucleic acids
     Oligodeoxyribonucleotides
     Oligosaccharides, biological studies
     Polymers, biological studies
     Polyoxyalkylenes, biological studies
     Polysaccharides, biological studies
     Proteins
     RNA
     mRNA
     RL: THU (Therapeutic use); BIOL (Biological study); USES
     (Uses)
        (apparatus and method for transdermal delivery of influenza vaccine)
IT   Proteins
     RL: THU (Therapeutic use); BIOL (Biological study); USES
     (Uses)
        (capsid; apparatus and method for transdermal delivery of influenza
vaccine)
IT   Toxins
     RL: THU (Therapeutic use); BIOL (Biological study); USES
     (Uses)
        (cholera; apparatus and method for transdermal delivery of influenza
        vaccine)
IT   Polysaccharides, biological studies
     RL: THU (Therapeutic use); BIOL (Biological study); USES
     (Uses)
        (conjugates; apparatus and method for transdermal delivery of influenza
        vaccine)
IT   Toxoids
     RL: THU (Therapeutic use); BIOL (Biological study); USES
     (Uses)
        (diphtheria; apparatus and method for transdermal delivery of influenza
        vaccine)
IT   Antigens
     RL: THU (Therapeutic use); BIOL (Biological study); USES
     (Uses)
        (hepatitis B surface, pre-S2 protein; apparatus and method for transdermal
        delivery of influenza vaccine)
IT   Carbohydrates, biological studies
     RL: THU (Therapeutic use); BIOL (Biological study); USES
     (Uses)
        (nonreducing; apparatus and method for transdermal delivery of influenza
        vaccine)
IT   Carbohydrates, biological studies
     RL: THU (Therapeutic use); BIOL (Biological study); USES
     (Uses)
        (reducing sugars; apparatus and method for transdermal delivery of
influenza
        vaccine)
IT   DNA
     RL: THU (Therapeutic use); BIOL (Biological study); USES
     (Uses)
        (supercoiled plasmid; apparatus and method for transdermal delivery of
        influenza vaccine)
IT   Toxoids
     RL: THU (Therapeutic use); BIOL (Biological study); USES
     (Uses)
```

(tetanus; apparatus and method for transdermal delivery of influenza vaccine)

IT Interferons
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(γ; apparatus and method for transdermal delivery of influenza vaccine)

IT 51-43-4, Epinephrine 56-59-7, Felypressin 57-50-1, Sucrose, biological studies 59-42-7, Phenylephrine 60-00-4, biological studies 68-04-2, TriSodium citrate 69-65-8, Mannitol 77-92-9D, Citric acid, salts 84-22-0, Tetrahydrozoline 90-82-4, Pseudoephedrine 99-20-7 101-40-6, Propylhexedrine 102-45-4, Cyclopentamine 107-64-2, Dimethyldioctadecylammonium chloride 112-00-5, Dodecyltrimethyl ammonium chloride 123-03-5, CPC 123-82-0, Tuaminoheptane 125-03-1 147-85-3D, L-Proline, complex with zinc 151-21-3, Sodium dodecyl sulfate, biological studies 151-73-5 470-55-3, Stachyose 501-15-5, Deoxyepinephrine 512-69-6, Raffinose 526-36-3, Xylometazoline 543-82-8, Octodrine 597-12-6, Melezitose 835-31-4, Naphazoline 1082-57-1, Tramazoline 1337-30-0, Sorbitan laurate 1491-59-4, Oxymetazoline 1715-33-9 1997-15-5 2145-14-4 2375-03-3 3397-23-7, Ornipressin 5015-36-1 6000-74-4 7440-66-6D, Zinc, complex with L-proline 7568-93-6, Phenylethanolamine 7647-14-5, Sodium chloride (NaCl), biological studies 7784-30-7, Aluminum phosphate 9002-89-5, Poly(vinyl alcohol) 9002-92-0, Laureth 4 9003-39-8, Polyvinylpyrrolidone 9004-34-6D, Cellulose, derivs. 9004-58-4, Ethyl hydroxyethyl cellulose 9004-62-0, Hydroxyethyl cellulose 9004-64-2, Hydroxypropyl cellulose 9004-65-3, Hydroxypropyl methyl cellulose 9004-67-5, Methyl cellulose 9005-64-5, Tween 20 9005-65-6, Tween 80 9011-18-1 9032-42-2, Hydroxyethyl methyl cellulose 9041-22-9, β-Glucan 9074-78-6, α-Glucan 11000-17-2, Vasopressin 12441-09-7D, Sorbitan, derivs. 14838-15-4, Phenylpropanolamine 17692-22-7, Metizoline 21645-51-2, Aluminum hydroxide, biological studies 24243-97-8, Tymazoline 24991-23-9 25249-16-5, Poly(2-hydroxyethyl methacrylate) 25322-68-3, Polyethylene glycol 25513-46-6, Polyglutamic acid 25608-40-6, Polyaspartic acid 26062-48-6, Polyhistidine 26063-13-8, Polyaspartic acid 26854-81-9, Polyhistidine 30924-31-3, Cafaminol 37300-21-3, Pentosan polysulfate 37353-41-6 37571-84-9, Amidephrine 40507-78-6, Indanazoline 42794-76-3, Midodrine 60355-78-4, Murametide 66112-59-2, Termurtide 70280-03-4, GMDP 74812-63-8, Nordefrin 83461-56-7, MTP-PE 99011-02-6, Imiquimod 100179-39-3, C5a Peptidase 112668-45-8 141256-04-4, QS-21 143005-30-5, ImmTher 144875-48-9, S-28463 159940-37-1, Pleuran 691397-13-4, CRL 1005 852155-91-0 852155-92-1
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(apparatus and method for transdermal delivery of influenza vaccine)

IT 90701-11-4
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(repeating unit, apparatus and method for transdermal delivery of influenza vaccine)

IT 9005-80-5, Inulin
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(γ-inulin; apparatus and method for transdermal delivery of influenza vaccine)

L92 ANSWER 6 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:238432 CAPLUS Full-text
DOCUMENT NUMBER: 142:303641
TITLE: Compositions capable of facilitating penetration across a biological barrier
INVENTOR(S): Ben-Sasson, Shmuel A.; Cohen, Einat
PATENT ASSIGNEE(S): Israel
SOURCE: U.S. Pat. Appl. Publ., 12 pp.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2005058702	A1	20050317	US 2003-664989	20030917
US 2005136103	A1	20050623	US 2004-942300	20040916
AU 2004317954	A1	20051013	AU 2004-317954	20040917
CA 2539043	A1	20051013	CA 2004-2539043	20040917
WO 2005094785	A2	20051013	WO 2004-IB4452	20040917
WO 2005094785	A3	20060323		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1670500	A2	20060621	EP 2004-821561	20040917
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				

PRIORITY APPLN. INFO.:

US 2003-503615P	P	20030917
US 2003-664989	A2	20030917
US 2003-665184	A2	20030917
WO 2004-IB4452	W	20040917

ED Entered STN: 18 Mar 2005

AB This invention relates to novel pharmaceutical compns. for delivery of biol. active mols., such as polypeptides, drugs and other therapeutic agents, across various biol. barriers mixing one or more effectors (anionic impermeable mols.) with a counter ion to the effector (a liquid forming cation). The invention also relates to methods of treating or preventing diseases by administering pharmaceutical compns. to affected subjects. For example, an ionic liquid forming cation was used to enable the translocation of insulin across an epithelial barrier. A composition containing recombinant human insulin and an ionic liquid forming cation, e.g., 1-butyl-3-methylimidazolium chloride, together with phytic acid, Pluronic F68, aprotinin, Solutol HS-15, and N-acetylcysteine was administrated rectally or by injection into an intestinal loop of a test animal, e.g., a mouse. Blood glucose levels decrease in relation to the amount of insulin absorbed from the intestine into the bloodstream (i.e., in an amount that correlates to the amount of insulin absorbed). Thus, this drug delivery system can replace the need for insulin injections, thereby providing an efficient, safe and convenient route of administration for diabetes patients.

IC ICM A61K031-727
ICS A61K009-48; A61K009-20; A61K031-737
INCL 424452000; 514054000; 514056000

CC 63-6 (Pharmaceuticals)
Section cross-reference(s): 1, 2
IT DNA
RNA
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(and mimetics; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)
IT Acids, biological studies
Group IIIA element compounds
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(boronic acids, α-amino derivs.; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)
IT Peptides, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(brain-derived natriuretic peptide; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)
IT Ovomucoids
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(chicken; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)
IT Carbohydrates, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(complexes, with biphenylboronic acids; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)
IT Antibiotics
Anticoagulants
Antitumor agents
Biological transport
Blood-brain barrier
Cell membrane
Drug delivery systems
Endothelium
Epithelium
Freeze drying
Fungicides
Human
Immunomodulators
Reducing agents
Surfactants
(compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)
IT Amides, biological studies
Amino acids, biological studies
Antibodies and Immunoglobulins
Antigens
Antigens
Bile acids
Diglycerides
Dipeptides
Enkephalins
Enzymes, biological studies
Esters, biological studies
Ethers, biological studies
Fatty acids, biological studies
Glycerides, biological studies

Glycosaminoglycans, biological studies
Growth factors, animal
Hormones, animal, biological studies
Interleukin 2
Monoglycerides
Neurotrophic factors
Phospholipids, biological studies
Phosphonium compounds
Polyoxyalkylenes, biological studies
Polysaccharides, biological studies
Pyridinium compounds
Toxins
Tripeptides
Vitamins
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)

IT Castor oil
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(ethoxylated, Cremophor; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)

IT Antibodies and Immunoglobulins
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(fragments; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)

IT Onium compounds
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(imidazolium compds.; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)

IT Alcohols, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(polyhydric; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)

IT Quaternary ammonium compounds, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(tetraalkyl; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)

IT Salts, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(water-soluble; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)

IT Interferons
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(α; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)

IT Interferons
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(β; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)

IT Interferons
RL: THU (Therapeutic use); BIOL (Biological study); USES

(Uses)
(γ; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)

IT 62449-23-4, Ovoinhibitor
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(chicken; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)

IT 53-79-2, Puromycin 55-91-4, DFP 57-88-5D, Cholesterol, fatty acid esters 60-00-4, EDTA, biological studies 60-00-4D, EDTA, chitosan conjugates 64-17-5, Ethanol, biological studies 66-71-7, 1,10-Phenanthroline 67-63-0, Isopropanol, biological studies 67-68-5, Dimethyl sulfoxide, biological studies 68-12-2, DMF, biological studies 71-23-8, Propanol, biological studies 71-36-3, n-Butanol, biological studies 75-65-0, tert-Butanol, biological studies 78-83-1, Isobutanol, biological studies 79-10-7D, Acrylic acid, derivs., polymers 83-86-3, Phytic acid 120-51-4, Benzyl benzoate 123-51-3, Isoamyl alcohol 329-98-6, PMSF 501-52-0, Benzenepropanoic acid 516-50-7D, Taurodeoxycholic acid, salts 621-71-6, Tricaprin 863-57-0, Sodium glycocholate 1405-87-4, Bacitracin 2364-87-6, TLCK 3858-83-1, p-Aminobenzamidine 6303-21-5D, Phosphinic acid, dipeptide analogs 8001-27-2, Hirudin 9002-64-6, Parathyroid hormone 9002-67-9, Luteinizing hormone 9002-68-0, FSH 9002-72-6, Growth hormone 9004-10-8, Insulin, biological studies 9004-61-9, Hyaluronic acid 9005-49-6, Heparin, biological studies 9007-12-9, Calcitonin 9007-28-7, Chondroitin sulfate 9012-76-4D, Chitosan, EDTA conjugates 9034-40-6D, LHRH, analogs 9041-92-3, α1-Antitrypsin 9050-30-0 9076-44-2, Chymostatin 9078-38-0, Soybean trypsin inhibitor 9087-70-1, Aprotinin 11096-26-7, Erythropoietin 24967-94-0, Dermatan sulfate 25322-68-3, Polyethylene glycol 30827-99-7, AEBSF 36357-77-4, Phosphoramidon 37213-49-3, α-Melanotropin 37330-34-0, Bowman-Birk inhibitor 37691-11-5, Antipain 42228-92-2, Acivicin 45470-32-4, 1,3-Dimethylimidazolium 51798-45-9, Elastatinal 51839-17-9 55123-66-5, Leupeptin 58970-76-6, Bestatin 59721-29-8, Camostat mesylate 61909-81-7, Solutol HS15 64111-53-1 65039-03-4, 1-Ethyl-3-methylimidazolium 65144-34-5 67655-94-1, Amastatin 70904-56-2, Kyotorphin 71933-13-6 76721-89-6, Thiorphan 80432-08-2, 1-Butyl-3-methylimidazolium 81733-79-1, Dalargin 83869-56-1, GM-CSF 85100-82-9, 1-Hexyl-3-methylimidazolium 88105-67-3 89703-10-6, FK-448 89750-14-1, Glucagon-like peptide 1 106096-93-9, BFGF 106392-12-5, Poloxamer 125867-77-8 128270-60-0, Hirulog 143011-72-7, G-CSF 157310-70-8, 1,2-Dimethyl-3-propylimidazolium 159519-65-0, T20 178631-03-3, 1-Methyl-3-octylimidazolium 313475-49-9 343952-32-9 847835-84-1D, sugar complexes
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)

IT 9001-92-7, Proteinase
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(inhibitor; compns. capable of facilitating penetration across biol. barrier comprising effectors and counter ions)

L92 ANSWER 7 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:589411 CAPLUS Full-text
DOCUMENT NUMBER: 141:128864
TITLE: Method for producing sterile polynucleotide-based medicaments

INVENTOR(S): Geall, Andrew; Enas, Joel
PATENT ASSIGNEE(S): Vical Incorporated, USA
SOURCE: PCT Int. Appl., 52 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004060363	A1	20040722	WO 2003-US38119	20031202
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2508281	A1	20040722	CA 2003-2508281	20031202
AU 2003293196	A1	20040729	AU 2003-293196	20031202
US 2004162256	A1	20040819	US 2003-725015	20031202
EP 1581201	A1	20051005	EP 2003-790187	20031202
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2006514046	T	20060427	JP 2004-565151	20031202

PRIORITY APPLN. INFO.:			
US 2002-435303P	P	20021223
WO 2003-US38119	W	20031202

ED Entered STN: 23 Jul 2004

AB The present invention relates to a novel method for producing formulations comprising a polynucleotide, block copolymer and cationic surfactant. The formulations produced by the current method are suitable for use in polynucleotide-based medicaments. A suitable method of production disclosed herein addnl. comprises cold filtering a mixture of a polynucleotide, block copolymer and cationic surfactant, thereby sterilizing the formulation. The method of the present invention also eliminates the need for thermal cycling of the formulation, thereby reducing the time and expense required to produce large quantities of a formulation during com. manufacturing The present invention also relates to novel cationic lipids used as surfactants. For example, a naked VR4700 plasmid DNA (5 mg/mL) in PBS was formulated with poloxamer CRL-1005 (7.5 mg/mL) and benzalkonium chloride (0.3 mM), using the thermal cycling and filtration process. Particle size of the diluted poloxamer formulation were maintained by thawing the formulation as a concentrated stock solution and then diluting to the required concentration A dose-dependent responses of CD4+ and CD8+T cells of mice vaccinated with increasing amts. of naked VR4700 plasmid DNA or VR4700 formulated with CRL-1005 and benzalkonium chloride was observed

IC ICM A61K031-08
CC 63-6 (Pharmaceuticals)
Section cross-reference(s): 15
ST polynucleotide polymer cationic surfactant filtration sterilization
IT Quaternary ammonium compounds, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkylbenzyldimethyl, chlorides; production of sterile formulations containing
polynucleotide, block copolymer and cationic

surfactant)
IT Polymers, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(block; production of sterile formulations containing polynucleotide, block copolymer and cationic surfactant)
IT Surfactants
(cationic; production of sterile formulations containing polynucleotide, block copolymer and cationic surfactant)
IT Lipids, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(cationic; production of sterile formulations containing polynucleotide, block copolymer and cationic surfactant)
IT Sterilization and Disinfection
(filtration; production of sterile formulations containing polynucleotide, block copolymer and cationic surfactant)
IT Filtration
Freeze drying
Particle size
Plasmid vectors
Vaccines
Zeta potential
(production of sterile formulations containing polynucleotide, block copolymer
and cationic surfactant)
IT DNA
Polynucleotides
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(production of sterile formulations containing polynucleotide, block copolymer
and cationic surfactant)
IT Drug delivery systems
(solns.; production of sterile formulations containing polynucleotide, block
copolymer and cationic surfactant)
IT 121-54-0, Benzethonium chloride 123-03-5, Cetylpyridinium chloride
8044-71-1, Cetrimide 106392-12-5, CRL 1005 723301-92-6
723301-93-7 723301-94-8 723301-95-9
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(production of sterile formulations containing polynucleotide, block copolymer
and cationic surfactant)

L92 ANSWER 8 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:589334 CAPLUS Full-text
DOCUMENT NUMBER: 141:128852
TITLE: Method for freeze-drying nucleic acid/block copolymer/cationic surfactant complexes
INVENTOR(S): Geall, Andrew
PATENT ASSIGNEE(S): Vical Incorporated, USA
SOURCE: PCT Int. Appl., 44 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE

WO 2004060059	A2	20040722	WO 2003-US38116	20031202
WO 2004060059	A3	20051222		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2508279	A1	20040722	CA 2003-2508279	20031202
AU 2003293195	A1	20040729	AU 2003-293195	20031202
US 2004157789	A1	20040812	US 2003-725009	20031202
EP 1578193	A2	20050928	EP 2003-790186	20031202
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2006515855	T	20060608	JP 2004-565150	20031202
PRIORITY APPLN. INFO.:			US 2002-435273P	P 20021223
			WO 2003-US38116	W 20031202

ED Entered STN: 23 Jul 2004

AB This invention relates generally to the freeze-drying of formulations comprising a polynucleotide, a block copolymer and a cationic surfactant. In the presence of a cryoprotectant or bulking agent, a formulation can be freeze-dried, whereby upon reconstitution of the dried formulation, the microparticles maintain their optimal size and aggregation or fusion is avoided. For example, a DNA/poloxamer/benzalkonium chloride (BAK) formulation (5 mg/mL DNA, 7.5 mg/ mL CRL-1005, 0.3 mM BAK) in 10% sucrose and 10 mM sodium phosphate vehicle was prepared and lyophilized.

IC ICM A01N

CC 63-6 (Pharmaceuticals)

ST polynucleotide block copolymer cationic surfactant lyophilization microparticle

IT Quaternary ammonium compounds, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkylbenzyldimethyl, chlorides; freeze drying of nucleic acid/block copolymer/cationic surfactant complexes for microparticles)

IT Polymers, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(block; freeze drying of nucleic acid/block copolymer/cationic surfactant complexes for microparticles)

IT Surfactants
(cationic; freeze drying of nucleic acid/block copolymer/cationic surfactant complexes for microparticles)

IT Cryoprotectants
Filtration
Freeze drying
Particle size
(freeze drying of nucleic acid/block copolymer/cationic surfactant complexes for microparticles)

IT DNA
Nucleic acids
Polynucleotides
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(freeze drying of nucleic acid/block copolymer/

cationic surfactant complexes for microparticles)
IT Drug delivery systems
(microparticles; freeze drying of nucleic acid/block copolymer/cationic surfactant complexes for microparticles)
IT 57-50-1, Sucrose, biological studies 121-54-0, Benzethonium chloride 123-03-5, Cetylpyridinium chloride 8044-71-1, Cetrimide 29368-49-8 106392-12-5, CRL-1005 723301-92-6 723301-93-7 723301-94-8 723301-95-9
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(freeze drying of nucleic acid/block copolymer/cationic surfactant complexes for microparticles)

L92 ANSWER 9 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2003:837251 CAPLUS Full-text
DOCUMENT NUMBER: 139:335093
TITLE: Preservation of bioactive materials by freeze dried foam
INVENTOR(S): Vu, Truong-Le
PATENT ASSIGNEE(S): Medimmune Vaccines, Inc., USA
SOURCE: PCT Int. Appl., 72 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003087327	A2	20031023	WO 2003-US10989	20030410
WO 2003087327	A3	20040226		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2482448	A1	20031023	CA 2003-2482448	20030410
AU 2003247337	A1	20031027	AU 2003-247337	20030410
US 2003219475	A1	20031127	US 2003-412630	20030410
US 7135180	B2	20061114		
EP 1494651	A2	20050112	EP 2003-746696	20030410
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2005538939	T	20051222	JP 2003-584271	20030410
PRIORITY APPLN. INFO.:			US 2002-372236P P	20020411
			WO 2003-US10989 W	20030410

ED Entered STN: 24 Oct 2003
AB This invention provides methods and compns. to preserve bioactive materials in a dried foam matrix. Methods provide non-boiling foam generation and penetration of preservative agents at temps. near the phase transition temperature of the membranes. Monovalent live attenuated influenza virus B/Harbin was formulated in 40% sucrose, 5% gelatin, 0.02% Pluronic F68, 25 mM pH 7.2 KPO4 buffer and lyophilized to make a dry foam that maintained protein integrity and stability after storage at 37° for 125 days.
IC ICM C12N

CC 9-11 (Biochemical Methods)
Section cross-reference(s): 1, 10, 15, 63
ST preservation bioactive material freeze dried foam; membrane preservation dried foam matrix; influenza virus vaccine preservation dry foam
IT Influenza B virus
(Harbin, monovalent live attenuated; preservation of bioactive materials by freeze dried foam)
IT Metals, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(active, as foaming agent; preservation of bioactive materials by freeze dried foam)
IT Sulfonic acids, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkanesulfonic, salts, as surfactant; preservation of bioactive materials by freeze dried foam)
IT Sulfonic acids, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkenesulfonic, salts, as surfactant; preservation of bioactive materials by freeze dried foam)
IT Sulfates, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkyl aryl ether, as surfactant; preservation of bioactive materials by freeze dried foam)
IT Sulfates, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkyl ether, as surfactant; preservation of bioactive materials by freeze dried foam)
IT Polyoxyalkylenes, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkyl ethers, as surfactant; preservation of bioactive materials by freeze dried foam)
IT Ethers, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkyl polyglycol phosphates, as surfactant; preservation of bioactive materials by freeze dried foam)
IT Sulfates, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkyl, as surfactant; preservation of bioactive materials by freeze dried foam)
IT Naphthalenesulfonic acids
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkylnaphthalenesulfonic acids, as surfactant; preservation of bioactive materials by freeze dried foam)
IT Electric current
(as foaming agent; preservation of bioactive materials by freeze dried foam)
IT Alcohols, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(as solvent; preservation of bioactive materials by freeze

dried foam)
IT Amine oxides
Betaines
Fatty acids, biological studies
Naphthalenesulfonic acids
Polyoxyalkylenes, biological studies
Quaternary ammonium compounds, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(as surfactant; preservation of bioactive materials by freeze dried foam)
IT Carbonates, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(buffer; preservation of bioactive materials by freeze dried foam)
IT Drug delivery systems
(foams, dry; preservation of bioactive materials by freeze dried foam)
IT Drug delivery systems
(freeze-dried; preservation of bioactive materials by freeze dried foam)
IT Gelatins, biological studies
RL: BUU (Biological use, unclassified); POF (Polymer in formulation); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(hydrolyzates; preservation of bioactive materials by freeze dried foam)
IT Boiling
Bubbles
Degassing
Gases
(in foam preparation; preservation of bioactive materials by freeze dried foam)
IT Vaccines
(influenza, live attenuated influenza virus; preservation of bioactive materials by freeze dried foam)
IT Drug delivery systems
(inhalants; preservation of bioactive materials by freeze dried foam)
IT Drug delivery systems
(injections, i.m.; preservation of bioactive materials by freeze dried foam)
IT Drug delivery systems
(injections, i.p.; preservation of bioactive materials by freeze dried foam)
IT Drug delivery systems
(injections, i.v.; preservation of bioactive materials by freeze dried foam)
IT Drug delivery systems
(injections, intra-articular; preservation of bioactive materials by freeze dried foam)
IT Drug delivery systems
(injections, intra-synovial; preservation of bioactive materials by freeze dried foam)
IT Drug delivery systems
(injections, intracerebrospinal; preservation of bioactive materials by freeze dried foam)
IT Drug delivery systems
(injections, intrathecal; preservation of bioactive materials by freeze dried foam)

IT Drug delivery systems
(injections, s.c.; preservation of bioactive materials by freeze dried foam)
IT Drug delivery systems
(liposomes; preservation of bioactive materials by freeze dried foam)
IT Lipids, biological studies
RL: BSU (Biological study, unclassified); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(membranes; preservation of bioactive materials by freeze dried foam)
IT Drug delivery systems
(nasal; preservation of bioactive materials by freeze dried foam)
IT Wastes
(of lignin-sulfite, as surfactant; preservation of bioactive materials by freeze dried foam)
IT Phase transition temperature
(of lipid membrane; preservation of bioactive materials by freeze dried foam)
IT Drug delivery systems
(oral; preservation of bioactive materials by freeze dried foam)
IT Ethers, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(polyaryl Ph phosphates, as surfactant; preservation of bioactive materials by freeze dried foam)
IT Alcohols, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(polyhydric; preservation of bioactive materials by freeze dried foam)
IT Drug delivery systems
(powders; preservation of bioactive materials by freeze dried foam)
IT Adeno-associated virus
Adenoviridae
Biological materials
Buffers
Condensation (physical)
Cooling
Coronavirus
Cytomegalovirus
Drugs
Drying
Eubacteria
Evaporation
Foaming
Foaming agents
Foams
Freeze drying
Glass transition temperature
Human
Human adenovirus
Human herpesvirus
Human herpesvirus 4
Human metapneumovirus
Human parainfluenza virus
Influenza virus

Liposomes
Mammalia
Membrane, biological
Microtubule
Physiological saline solutions
Platelet (blood)
Preservation
Preservatives
Pressure
Respiratory syncytial virus
SARS coronavirus
Solvents
Stability
Sublimation
Surfactants
Vaccines
Vacuum
Virus
(preservation of bioactive materials by freeze dried foam)

IT Antibodies and Immunoglobulins
Hormones, animal, biological studies
Nucleic acids
Peptides, biological studies
Proteins
RL: BSU (Biological study, unclassified); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preservation of bioactive materials by freeze dried foam)

IT Actins
RL: BUU (Biological use, unclassified); POF (Polymer in formulation); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preservation of bioactive materials by freeze dried foam)

IT Collagens, biological studies
RL: BUU (Biological use, unclassified); POF (Polymer in formulation); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preservation of bioactive materials by freeze dried foam)

IT Dyneins
RL: BUU (Biological use, unclassified); POF (Polymer in formulation); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preservation of bioactive materials by freeze dried foam)

IT Gelatins, biological studies
RL: BUU (Biological use, unclassified); POF (Polymer in formulation); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preservation of bioactive materials by freeze dried foam)

IT Myosins
RL: BUU (Biological use, unclassified); POF (Polymer in formulation); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preservation of bioactive materials by freeze dried foam)

IT Polymers, biological studies
RL: BUU (Biological use, unclassified); POF (Polymer in formulation); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preservation of bioactive materials by freeze dried foam)

IT Ovalbumin

RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preservation of bioactive materials by freeze dried foam)

IT Sulfonic acids, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(salts, alkylaryl, as surfactant; preservation of bioactive materials by freeze dried foam)

IT Sulfonic acids, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(salts, as surfactant; preservation of bioactive materials by freeze dried foam)

IT Sulfonic acids, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(salts, phenylsulfonates, as surfactant; preservation of bioactive materials by freeze dried foam)

IT Albumins, biological studies
RL: BUU (Biological use, unclassified); POF (Polymer in formulation); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(serum; preservation of bioactive materials by freeze dried foam)

IT Polysaccharides, biological studies
RL: BUU (Biological use, unclassified); POF (Polymer in formulation); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(sialopolysaccharides; preservation of bioactive materials by freeze dried foam)

IT Cell
(suspensions; preservation of bioactive materials by freeze dried foam)

IT Grinding (size reduction)
(to powder; preservation of bioactive materials by freeze dried foam)

IT Drug delivery systems
(topical; preservation of bioactive materials by freeze dried foam)

IT Polymers, biological studies
RL: BUU (Biological use, unclassified); POF (Polymer in formulation); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(water-soluble; preservation of bioactive materials by freeze dried foam)

IT Containers
(with etched or fritted bottom, formulation in; preservation of bioactive materials by freeze dried foam)

IT 7732-18-5, Water, biological studies
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(as solvent; preservation of bioactive materials by freeze dried foam)

IT 50-00-0D, Formaldehyde, condensates with sulfonated naphthalenes 107-35-7, Taurine 107-97-1, Sarcosine 108-95-2D, Phenol, condensates with sulfonated naphthalenes and formaldehyde 5138-18-1D, Sulfosuccinic acid, salts, alkyl derivs. 8062-15-5, Lignosulfonic acid 9005-63-4, Polyoxyethylenesorbitan 9005-64-5, Polyethylene glycol sorbitan monolaurate 14265-44-2D, Phosphate, alkyl derivs. 25322-68-3, Polyethylene glycol 25322-68-3D, Polyethylene glycol, alkyl ethers 25322-69-4, Polypropylene glycol 25322-69-4D, Polypropylene glycol, alkyl ethers 106392-12-5, Polyethylene glycol-polypropylene

glycol block copolymer 106392-12-5D, alkyl ethers
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(as surfactant; preservation of bioactive materials by freeze dried foam)

IT 71-00-1, L-Histidine, biological studies 127-09-3, Sodium acetate 288-32-4, Imidazole, biological studies 994-36-5, Sodium citrate 1066-33-7, Ammonium bicarbonate 7632-05-5, Sodium phosphate 14047-56-4 16068-46-5, Potassium phosphate
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(buffer; preservation of bioactive materials by freeze dried foam)

IT 9001-54-1, Kinetin 9003-39-8, Polyvinylpyrrolidone 9007-28-7, Chondroitin sulfate
RL: BUU (Biological use, unclassified); POF (Polymer in formulation); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preservation of bioactive materials by freeze dried foam)

IT 50-69-1, Ribose 50-70-4, Sorbitol, biological studies 50-99-7, D-Glucose, biological studies 56-81-5, Glycerol, biological studies 56-86-0, L-Glutamic acid, biological studies 57-48-7, Fructose, biological studies 57-50-1, Sucrose, biological studies 58-86-6, Xylose, biological studies 59-23-4, Galactose, biological studies 60-00-4, EDTA, biological studies 63-42-3, Lactose 63-68-3, Methionine, biological studies 69-65-8, Mannitol 69-79-4, Maltose 74-79-3, Arginine, biological studies 87-79-6, L-Sorbose 87-99-0, Xylitol 99-20-7, Trehalose 126-44-3, Citrate, biological studies 147-81-9, Arabinose 149-32-6, Erythritol 470-55-3, Stachyose 512-69-6, Raffinose 597-12-6, Melezitose 3458-28-4, Mannose 3615-41-6, L-Rhamnose 7493-90-5, Threitol 9005-27-0, Hydroxyethyl starch 25702-74-3, Ficoll 157663-13-3, L-Gluconic acid
RL: BUU (Biological use, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preservation of bioactive materials by freeze dried foam)

L92 ANSWER 10 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2003:836880 CAPLUS Full-text
DOCUMENT NUMBER: 139:328375
TITLE: Spray freeze-dried compositions for intranasal administration
INVENTOR(S): Truong-Le, Vu; Pham, Binh V.; Carpenter, John F.
PATENT ASSIGNEE(S): Medimmune Vaccines, Inc., USA
SOURCE: PCT Int. Appl., 70 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003086443	A1	20031023	WO 2003-US11405	20030410

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

AU 2003230908	A1	20031027	AU 2003-230908		20030410
US 2004042972	A1	20040304	US 2003-412652		20030410
PRIORITY APPLN. INFO.:			US 2002-372175P	P	20020411
			WO 2003-US11405	W	20030410

ED Entered STN: 24 Oct 2003

AB This invention provides methods and compns. to preserve bioactive materials, such as peptides, nucleic acids, viruses, bacteria, cells, or liposomes, in freeze-dried particles suitable for intranasal administration. Methods provide spray freeze drying of formulations to form stable freeze- dried particles for intranasal administration. Liquid formulations were sprayed into liquid nitrogenthrough a spray nozzle with a 150-μm internal diameter orifice. The frozen droplets were lyophilized to different moisture contents to obtain the required stability. Processing materials included influenza virus, liquid nitrogen as the cold fluid for freezing, and nitrogen atomizing gas and a stainless steel effervescence atomizing spray nozzle. The liquid formulation was sprayed at 2 mL/min through the nozzle and atomized by nitrogen gas at 1 L/min, into a container of liquid nitrogen. After lyophilization, resultant freeze dried powder particles were characterized by particle size, moisture content, process loss, and stability.

IC ICM A61K035-78
ICS A61K031-70

CC 63-6 (Pharmaceuticals)

ST spray freeze dried pharmaceutical intranasal

IT Sulfonic acids, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(alkanesulfonic, salts; spray freeze dried compns. for intranasal administration)

IT Sulfonic acids, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(alkenesulfonic, salts; spray freeze dried compns. for intranasal administration)

IT Alcohols, biological studies
Castor oil
Fatty acids, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(alkoxylated; spray freeze dried compns. for intranasal administration)

IT Polyoxyalkylenes, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(alkyl ethers; spray freeze dried compns. for intranasal administration)

IT Polyoxyalkylenes, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(alkyl group-terminated; spray freeze dried compns. for intranasal administration)

IT Glycosides

RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(alkyl polyglycosides; spray freeze dried compns. for intranasal administration)

IT Sulfonic acids, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(alkylarene, salts; spray freeze dried compns. for intranasal administration)

IT Fatty acids, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(esters; spray freeze dried compns. for intranasal administration)

IT Glycols, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(ethers, phosphates; spray freeze dried compns. for intranasal administration)

IT Polyoxyalkylenes, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(ethers, with phenols; spray freeze dried compns. for intranasal administration)

IT Lanolin
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(ethoxylated; spray freeze dried compns. for intranasal administration)

IT Polyoxyalkylenes, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(fatty amido group-terminated; spray freeze dried compns. for intranasal administration)

IT Amides, biological studies
Amines, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(fatty, alkoxylated; spray freeze dried compns. for intranasal administration)

IT Amides, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(fatty; spray freeze dried compns. for intranasal administration)

IT Drug delivery systems
(freeze-dried; spray freeze dried compns. for intranasal administration)

IT Ethers, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC

(Process); USES (Uses)
(glycol, phosphates; spray freeze dried compns. for intranasal administration)

IT Gelatins, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(hydrolyzates; spray freeze dried compns. for intranasal administration)

IT Polyesters, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(lactide; spray freeze dried compns. for intranasal administration)

IT Nose
(mucosa; spray freeze dried compns. for intranasal administration)

IT Drug delivery systems
(nasal; spray freeze dried compns. for intranasal administration)

IT Alcohols, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(polyhydric; spray freeze dried compns. for intranasal administration)

IT Sulfonic acids, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(salts; spray freeze dried compns. for intranasal administration)

IT Albumins, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(serum; spray freeze dried compns. for intranasal administration)

IT Animal cell
Animal virus
Coronavirus
Cytomegalovirus
Eubacteria
Glass transition temperature
Human
Human herpesvirus
Human herpesvirus 4
Human metapneumovirus
Human parainfluenza virus
Influenza virus
Microtubule
Particle size distribution
Respiratory syncytial virus
SARS coronavirus
Spraying
Surfactants
Virus
(spray freeze dried compns. for intranasal administration)

IT Actins
Amine oxides
Antibodies and Immunoglobulins
Betaines
Dyneins
Fatty acids, biological studies
Gelatins, biological studies
Glycerides, biological studies
Myosins
Nucleic acids
Peptides, biological studies
Polymers, biological studies
Polysaccharides, biological studies
Polysiloxanes, biological studies
Proteins
Quaternary ammonium compounds, biological studies
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(spray freeze dried compns. for intranasal administration)

IT Freeze drying
(spray; spray freeze dried compns. for intranasal administration)

IT 124-38-9, Carbon dioxide, processes 7440-37-1, Argon, processes 7727-37-9, Nitrogen, processes
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); PROC (Process)
(spray freeze dried compns. for intranasal administration)

IT 50-69-1, Ribose 50-70-4, Sorbitol, biological studies 50-99-7, Glucose, biological studies 56-81-5, Glycerol, biological studies 57-48-7, Fructose, biological studies 57-50-1, Sucrose, biological studies 58-86-6, Xylose, biological studies 59-23-4, Galactose, biological studies 63-42-3, Lactose 69-65-8, Mannitol 69-79-4, Maltose 71-00-1, Histidine, biological studies 79-10-7D, Acrylic acid, esters, polymers 87-79-6, Sorbose 87-99-0, Xylitol 98-11-3D, Phenylsulfonic acid, salts 99-20-7, Trehalose 127-09-3, Sodium acetate 147-81-9, Arabinose 149-32-6, Erythritol 288-32-4, Imidazole, biological studies 470-55-3, Stachyose 506-87-6, Ammonium carbonate 512-69-6, Raffinose 597-12-6, Melezitose 994-36-5, Sodium citrate 1066-33-7, Ammonium bicarbonate 3458-28-4, Mannose 3615-41-6, Rhamnose 5138-18-1D, Sulfosuccinic acid, alkyl esters 7493-90-5, Threitol 7632-05-5, Sodium phosphate 7664-93-9D, Sulfuric acid, esters or ethers 8062-15-5, Lignosulfonic acid 8062-15-5D, Lignosulfonic acid, derivs. 9000-07-1, Carrageenan 9001-54-1, Kinetin 9003-39-8, Polyvinylpyrrolidone 9004-54-0, Dextran, biological studies 9004-67-5, Methyl cellulose 9005-27-0, Hydroxyethyl starch 9005-64-5, Polyethylene glycol sorbitan monolaurate 9007-28-7, Chondroitin sulfate 11138-66-2, Xanthan gum 14047-56-4 16068-46-5, Potassium phosphate 25155-19-5D, Naphthalenesulfonic acid, derivs. 25249-16-5, Poly(2-hydroxyethyl methacrylate) 25322-69-4D, Polypropylene glycol, alkyl ethers 26023-30-3, Poly[oxy(1-methyl-2-oxo-1,2-ethanediyl)] 26680-10-4, Polylactide 27458-92-0, Isotridecyl alcohol 29323-51-1 106392-12-5, Polyethylene glycol-polypropylene glycol block copolymer 157663-13-3D, L-Gluconic acid, derivs.
RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(spray freeze dried compns. for intranasal

administration)
REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L92 ANSWER 11 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2003:591026 CAPLUS Full-text
DOCUMENT NUMBER: 139:154897
TITLE: High-concentration preparation of soluble thrombomodulin
INVENTOR(S): Nishio, Fumihide
PATENT ASSIGNEE(S): Asahi Kasei Kabushiki Kaisha, Japan
SOURCE: PCT Int. Appl., 113 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003061687	A1	20030731	WO 2003-JP339	20030117
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1475098	A1	20041110	EP 2003-701758	20030117
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
US 2006083733	A1	20060420	US 2005-501671	20050628
PRIORITY APPLN. INFO.:			JP 2002-9951 A	20020118
			WO 2003-JP339 W	20030117

ED Entered STN: 01 Aug 2003
AB In preparing a soluble thrombomodulin solution having a concentration of as high as 10 mg/mL or above, foam-inhibiting effect can be attained by any means selected from among (a) incorporation of a nonionic surfactant, benzyl alc. or chlorobutanol, (b) application of silicone coating on the inner wall of the vessel to be used in dissolving the freeze- dried preparation, and (c) evacuation of the vessel in dissolving the freeze-dried preparation Further, a soluble thrombomodulin freeze-dried preparation excellent in stability is also provided which can be dissolved in 0.1 to 2 mL of an aqueous solution for dissoln. to give a soluble thrombomodulin solution having a concentration of as high as 10 mg/mL or above and exhibiting an osmotic pressure ratio of 0.5 to 2.0.
IC ICM A61K038-36
ICS A61K009-08; A61K047-10; A61K047-18; A61K047-26; A61P001-16; A61P003-10; A61P007-00; A61P007-02; A61P009-00; A61P009-08; A61P009-10; A61P015-00
CC 63-6 (Pharmaceuticals)
ST thrombomodulin stabilizer freeze dried injection
IT Drug delivery systems
(freeze-dried; preparation of stable freeze-dried thrombomodulin)
IT Castor oil
RL: THU (Therapeutic use); BIOL (Biological study); USES

(Uses)
(hydrogenated, ethoxylated; method for preparing high-concentration thrombomodulin solns. for injection)
IT Thrombomodulin
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(method for preparing high-concentration thrombomodulin solns. without foams)
IT Surfactants
(nonionic; method for preparing high-concentration thrombomodulin solns. for
injection)
IT Amino acids, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preparation of stable freeze-dried thrombomodulin)
IT Polysiloxanes, uses
RL: TEM (Technical or engineered material use); USES (Uses)
(vials coating with; method for preparing high-concentration thrombomodulin solns. for injection)
IT 570432-77-8 570432-78-9 570432-79-0 570432-82-5
RL: BSU (Biological study, unclassified); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(amino acid sequence; method for preparing high-concentration thrombomodulin
solns. for injection)
IT 9002-92-0, Polyoxyethylene lauryl ether 9003-11-6, Polyoxyethylene-polyoxypropylene copolymer 9004-99-3, Polyoxyethylene stearate 9005-64-5, Polysorbate 20 9005-65-6, Polysorbate 80 106392-12-5, Poloxamer 188
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(method for preparing high-concentration thrombomodulin solns. for injection)
IT 57-15-8, Chlorobutanol 100-51-6, Benzyl alcohol, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(method for preparing high-concentration thrombomodulin solns. without foams)
IT 570432-80-3 570432-81-4
RL: BSU (Biological study, unclassified); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(nucleotide sequence; preparation of soluble thrombomodulin)
IT 56-40-6, Glycine, biological studies 56-45-1, L-Serine, biological studies 56-84-8, L-Aspartic acid, biological studies 56-86-0, L-Glutamic acid, biological studies 56-87-1, L-Lysine, biological studies 57-13-6, Urea, biological studies 57-50-1, Sucrose, biological studies 63-42-3, Lactose 63-91-2, L-Phenylalanine, biological studies 69-65-8, D-Mannitol 70-47-3, L-Asparagine, biological studies 71-00-1, L-Histidine, biological studies 74-79-3, L-Arginine, biological studies 99-20-7, Trehalose 147-85-3, L-Proline, biological studies 657-27-2, L-Lysine hydrochloride 6106-04-3 323194-76-9
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preparation of stable freeze-dried thrombomodulin)
IT 570475-51-3, 8: PN: WO03061687 SEQID: 2 unclaimed DNA
570475-52-4, 9: PN: WO03061687 SEQID: 6 unclaimed DNA
570475-53-5
RL: PRP (Properties)
(unclaimed nucleotide sequence; high-concentration preparation of soluble

thrombomodulin)
REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L92 ANSWER 12 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2003:76525 CAPLUS Full-text
DOCUMENT NUMBER: 138:142458
TITLE: Biodegradable injectable implants and related methods of manufacture and use
INVENTOR(S): Caseres, Crisofo Peralta; D'Lagarde, Daniel Leon
PATENT ASSIGNEE(S): Medgraft Microtech, Inc., Mex.
SOURCE: PCT Int. Appl., 60 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003007782	A2	20030130	WO 2002-US20802	20020628
WO 2003007782	A3	20030424		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2452412	A1	20030130	CA 2002-2452412	20020628
US 2003093157	A1	20030515	US 2002-186183	20020628
EP 1411861	A2	20040428	EP 2002-742366	20020628
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, SL, LV, FI, RO, MK, CY, AL, TR				
BR 2002010722	A	20040720	BR 2002-10722	20020628
CN 1538825	A	20041020	CN 2002-815171	20020628
JP 2005508669	T	20050407	JP 2003-513396	20020628
PRIORITY APPLN. INFO.:			MX 2001-PA6732 A	20010629
			US 2001-2283 A	20011205
			WO 2002-US20802 W	20020628

ED Entered STN: 31 Jan 2003
AB This invention is directed to the field of medical implants, and more specifically to biodegradable injectable implants and their methods of manufacture and use. The injectable implants disclosed herein comprise glycolic acid and bio-compatible/bio-absorbable polymeric particles containing a polymer of lactic acid. The particles are small enough to be injected through a needle but large enough to avoid engulfment by macrophages. The injectables of this invention may be in a pre-activated solid form or an activated form (e.g., injectable suspension or emulsion). For example, a lyophilized composition was prepared containing glycolic acid 0.07 mg, poly(lactic acid) spheres 200.0 mg, hydroxypropyl Me cellulose 118.33 mg, D-mannitol 170.0 mg, pH stabilizer (phosphate buffer) 0.50 mg, and surfactant (Tween 80) 1.20 mg. The composition was activated extemporaneously with 5.5 mL water to obtain an injectable preparation
IC ICM A61B
CC 63-6 (Pharmaceuticals)
Section cross-reference(s): 1

```
IT   Carbohydrates, biological studies
     RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL
     (Biological study); USES (Uses)
        (cryoprotectants; preparation of biodegradable injectable implants
containing
        glycolic acid and particles of lactic acid polymers)
IT   Polyesters, biological studies
     RL: THU (Therapeutic use); BIOL (Biological study); USES
     (Uses)
        (dilactone-based; preparation of biodegradable injectable implants
containing
        glycolic acid and particles of lactic acid polymers)
IT   Polyesters, biological studies
     RL: THU (Therapeutic use); BIOL (Biological study); USES
     (Uses)
        (hydroxycarboxylic acid-based; preparation of biodegradable injectable
        implants containing glycolic acid and particles of lactic acid polymers)
IT   Polyesters, biological studies
     RL: THU (Therapeutic use); BIOL (Biological study); USES
     (Uses)
        (lactic acid-based; preparation of biodegradable injectable implants
containing
        glycolic acid and particles of lactic acid polymers)
IT   Analgesics
     Anesthetics
     Antibacterial agents
     Antibiotics
     Blood plasma
     Buffers
     Cryoprotectants
       Freeze drying
     Gelation agents
     Human
     Lipodystrophy
     Particle size
     Particles
       Surfactants
     Syringes
     Viscosity
        (preparation of biodegradable injectable implants containing glycolic acid
and
        particles of lactic acid polymers)
IT   Cytokines
       DNA
     Fibronectins
     Growth factors, animal
     Interleukin 1
     Interleukin 2
     Peptides, biological studies
     Polysaccharides, biological studies
     Proteins
     Steroids, biological studies
     cDNA
     RL: THU (Therapeutic use); BIOL (Biological study); USES
     (Uses)
        (preparation of biodegradable injectable implants containing glycolic acid
and
        particles of lactic acid polymers)
IT   Interferons
     RL: THU (Therapeutic use); BIOL (Biological study); USES
```

(Uses)
(α; preparation of biodegradable injectable implants containing glycolic acid and particles of lactic acid polymers)
IT Interferons
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(β; preparation of biodegradable injectable implants containing glycolic acid and particles of lactic acid polymers)
IT Interferons
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(γ; preparation of biodegradable injectable implants containing glycolic acid and particles of lactic acid polymers)
IT 26161-42-2, Purasorb PL
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(Purasorb PL; preparation of biodegradable injectable implants containing glycolic acid and particles of lactic acid polymers)
IT 57-48-7, Fructose, biological studies 57-50-1, Sucrose, biological studies 63-42-3, Lactose 69-65-8, D-Mannitol 9004-54-0, Dextran, biological studies
RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(cryoprotectant; preparation of biodegradable injectable implants containing
glycolic acid and particles of lactic acid polymers)
IT 50-21-5D, Lactic acid, esters 51-05-8, Novocaine 79-14-1, Glycolic acid, biological studies 94-09-7, Benzocaine 137-58-6, Lidocaine 142-62-1D, Caproic acid, esters 721-50-6, Prilocaine 2078-54-8, Propofol 7647-14-5, Sodium chloride, biological studies 9001-28-9, Factor IX 9002-67-9, Luteinizing hormone 9002-68-0, Follicle-stimulating hormone 9002-72-6, Somatotropin 9003-39-8, Polyvinylpyrrolidone 9004-32-4, Carboxymethyl cellulose 9004-61-9, Hyaluronic acid 9004-61-9D, Hyaluronic acid, esters 9004-65-3, Hydroxypropyl methyl cellulose 9005-25-8, Starch, biological studies 9005-49-6, Heparin, biological studies 9005-64-5, Polyoxyethylene sorbitan monolaurate 9005-65-6, Polyoxyethylene sorbitan monooleate 9005-66-7, Polyoxyethylene sorbitan monopalmitate 9005-67-8, Polyoxyethylene sorbitan monostearate 9005-70-3, Polyoxyethylene sorbitan trioleate 9005-71-4, Polyoxyethylene sorbitan tristearate 9007-12-9, Calcitonin 9007-92-5, Glucagon, biological studies 11096-26-7, Erythropoietin 26023-30-3, Poly[oxy(1-methyl-2-oxo-1,2-ethanediyl)] 26100-51-6, Poly(lactic acid) 26780-50-7, Glycolide-lactide copolymer 33135-50-1, Poly(L-lactide) 34346-01-5, Glycolic acid-lactic acid copolymer 84057-95-4, Ropivacaine 85637-73-6, Atrial natriuretic factor 106392-12-5, Pluronic 113189-02-9, Factor VIII 121181-53-1, Filgrastim
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preparation of biodegradable injectable implants containing glycolic acid and
particles of lactic acid polymers)

L92 ANSWER 13 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2002:637548 CAPLUS Full-text
DOCUMENT NUMBER: 137:190734
TITLE: Formulations containing monoglycerides for enhancement of drug bioavailability
INVENTOR(S): Jeong, Seo-young; Kwon, Ick-chan; Chung, Hesson

PATENT ASSIGNEE(S): Korea Institute of Science and Technology, S. Korea
SOURCE: PCT Int. Appl., 42 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002064166	A1	20020822	WO 2002-KR206	20020208
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
KR 2002066778	A	20020821	KR 2001-7125	20010213
AU 2002233777	A1	20020828	AU 2002-233777	20020208
PRIORITY APPLN. INFO.:			KR 2001-7125 A	20010213
			WO 2002-KR206 W	20020208

ED Entered STN: 23 Aug 2002

AB The present invention relates to compns. and formulations to enhance bioavailability of bioactive materials and preparation method thereof. More particularly, the present invention relates to a composition comprising at least one monoglyceride, at least one emulsifier, organic solvents and aqueous solution and a liquid and powder formulation prepared by adding bioactive material with a low bioavailability to enhance bioavailability of bioactive materials and to acquire high encapsulation efficiency of the bioactive material and high storage stability for a long period of time and preparation method thereof. For example, a liquid formulation containing tetanus toxoid was prepared In 120 μL of ethanol, 20 mg Pluronic F-68 was dissolved (under heating if necessary). After mixing 40 μL of the 5.376 mg/mL tetanus toxoid aqueous solution and 280 mg of propylene glycol, 100 mg of monoolein and the above Pluronic F-68/ethanol solution was added to the mixture of tetanus toxoid and propylene glycol and stirred to prepare a homogeneous liquid solution Ethanol in the formulation was evaporated completely by purging with oxygen-free nitrogen gas to prepare the viscous liquid formulation. The formulation was dispersed well in water, and the average particle size and polydispersity of the dispersion of the liquid formulation were 303.9 nm and 0.185, resp., in water and 175.2 nm and 0.377, resp., in 0.01 M sodium deoxycholate. The encapsulation efficiency of tetanus toxoid was 80-85%.

IC ICM A61K047-44
CC 63-6 (Pharmaceuticals)
Section cross-reference(s): 1
IT Surfactants
(cationic, emulsifiers; formulations containing monoglycerides for enhancement of drug bioavailability)
IT Angiogenic factors
Antibodies and Immunoglobulins
Antibodies and Immunoglobulins
Antigens
Bone morphogenetic proteins
Chemokines
Cytokines
Enkephalins
Enzyme inhibitors

Estrogens
Glycosaminoglycans, biological studies
Growth factors, animal
Hormones, animal, biological studies
Interferons
Interleukins
Leukemia inhibitory factor
Monoglycerides
Peptides, biological studies
Polymers, biological studies
Polynucleotides
Prostaglandins
Stem cell factor
Toxins
Toxoids
Transforming growth factors
Vitamins
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(formulations containing monoglycerides for enhancement of drug bioavailability)

IT Cryoprotectants
Freeze drying
(preparation of formulations containing monoglycerides for enhancement of drug
bioavailability)

IT 81-25-4, Cholic acid 83-44-3, Deoxycholic acid 128-13-2, Ursodeoxycholic acid 151-21-3, Sodium dodecyl sulfate, biological studies 434-13-9, Lithocholic acid 474-25-9, Chenodeoxycholic acid 3700-67-2, Dimethyldioctadecylammonium bromide 9005-63-4, Polyoxyethylene sorbitan 104162-48-3, DOTMA 106392-12-5, Poloxamer 137056-72-5, DC-Chol 144189-73-1, DOTAP 183283-20-7, DOEPC
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(emulsifier; formulations containing monoglycerides for enhancement of drug bioavailability)

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L92 ANSWER 14 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2002:185694 CAPLUS Full-text
DOCUMENT NUMBER: 136:252483
TITLE: Clear oil-containing pharmaceutical compositions containing a therapeutic agent
INVENTOR(S): Chen, Feng-Jing; Patel, Mahesh V.; Fikstad, David T.
PATENT ASSIGNEE(S): Lipocine, Inc., USA
SOURCE: U.S. Pat. Appl. Publ., 45 pp., Cont.-in-part of U.S. Ser. No. 751,968.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 13
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2002032171	A1	20020314	US 2001-877541	20010608
US 6761903	B2	20040713		
US 6267985	B1	20010731	US 1999-345615	19990630
US 6309663	B1	20011030	US 1999-375636	19990817
US 2001024658	A1	20010927	US 2000-751968	20001229
US 6458383	B2	20021001		

US 2003077297	A1	20030424	US 2002-74687		20020211
US 2003104048	A1	20030605	US 2002-158206		20020529
US 2003235595	A1	20031225	US 2003-397969		20030325
US 2003236236	A1	20031225	US 2003-444935		20030522
PRIORITY APPLN. INFO.:			US 1999-345615	A2	19990630
			US 1999-375636	A2	19990817
			US 2000-751968	A2	20001229
			US 1999-258654	A1	19990226
			US 1999-447690	A3	19991123
			WO 2000-US18807	A	20000710
			US 2000-716029	A2	20001117
			US 2001-800593	A2	20010306
			US 2001-877541	A2	20010608
			US 2001-898553	A2	20010702

ED Entered STN: 15 Mar 2002

AB The present invention relates to pharmaceutical compns. and methods for improved solubilization of triglycerides and improved delivery of therapeutic agents. Compns. of the present invention include a carrier, where the carrier is formed from a combination of a triglyceride and at least 2 surfactants, at least one of which is hydrophilic. Upon dilution with an aqueous medium, the carrier forms a clear, aqueous dispersion of the triglyceride and surfactants. Thus, a formulation contained soybean oil, 80, Tween-20 200, and Tween-80 800 mg.

IC ICM A61K031-715
ICS A61K035-78

INCL 514054000

CC 63-6 (Pharmaceuticals)

ST oil pharmaceutical triglyceride; solubilization oil pharmaceutical triglyceride surfactant

IT Phenols, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkyl, ethoxylated; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Glycosides
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(alkyl; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(almond, ethoxylated; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(almond; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(animal; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(babassu; clear oil-containing pharmaceutical compns. containing therapeutic

agent)
IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(borage seed; clear oil-containing pharmaceutical compns. containing therapeutic agent)
IT Antifoaming agents
Antioxidants
Buffers
Chelating agents
Compression
Dietary supplements
Encapsulation
Extrusion, nonbiological
Freeze drying
Granulation
Hydrophile-lipophile balance value
Lubricants
Particle size distribution
Peptidomimetics
Plasticizers
Preservatives
Surfactants
(clear oil-containing pharmaceutical compns. containing therapeutic agent)
IT Alcohols, biological studies
Amides, biological studies
Bile acids
Bile salts
Canola oil
Castor oil
Coconut oil
Corn oil
Cottonseed oil
DNA
Diglycerides
Esters, biological studies
Gelatins, biological studies
Glycerides, biological studies
Glycosaminoglycans, biological studies
Lecithins
Lysophosphatidic acids
Lysophosphatidylcholines
Lysophosphatidylethanolamines
Lysophosphatidylserines
Lysophospholipids
Monoglycerides
Oligodeoxyribonucleotides
Oligonucleotides
Olive oil
Palm kernel oil
Palm oil
Peanut oil
Peptides, biological studies
Phosphatidic acids
Phosphatidylcholines, biological studies
Phosphatidylethanolamines, biological studies
Phosphatidylglycerols
Phosphatidylserines
Phospholipids, biological studies
Polysaccharides, biological studies

Proteins
RNA
Rape oil
Safflower oil
Soybean oil
Sunflower oil
Vitamins
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Glycerides, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(coco; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Oligopeptides
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(conjugates with fatty acids; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Peptides, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(conjugates, with fatty acids; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Phosphatidylethanolamines, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(conjugates; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Glycerides, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(corn, ethoxylated; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(currant, Ribes nigrum seed; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Amino acids, biological studies
Fatty acids, biological studies
Polyoxyalkylenes, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(esters; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Polyoxyalkylenes, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(ethers or esters; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Fatty acids, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(ethoxylated, esters; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Castor oil

Corn oil
Palm kernel oil
Peanut oil
Sterols
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(ethoxylated; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(evening primrose; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Amides, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(fatty; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(fish; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(grape seed; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Castor oil
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(hydrogenated, ethoxylated; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Castor oil
Coconut oil
Cottonseed oil
Lecithins
Lysophosphatidylcholines
Palm oil
Soybean oil
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(hydrogenated; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Surfactants
(hydrophilic; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Surfactants
(ionic; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Glycerides, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(long-chain; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Lysophosphatides
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(lysophosphatidylglycerols; clear oil-containing pharmaceutical compns. containing therapeutic agent)
IT Glycerides, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(medium-chain; clear oil-containing pharmaceutical compns. containing therapeutic agent)
IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(mustard; clear oil-containing pharmaceutical compns. containing therapeutic agent)
IT Surfactants
(nonionic; clear oil-containing pharmaceutical compns. containing therapeutic agent)
IT Oligosaccharides, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(pentasaccharides; clear oil-containing pharmaceutical compns. containing therapeutic agent)
IT Alcohols, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(polyhydric; clear oil-containing pharmaceutical compns. containing therapeutic agent)
IT Fatty acids, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(salts; clear oil-containing pharmaceutical compns. containing therapeutic agent)
IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(sesame; clear oil-containing pharmaceutical compns. containing therapeutic agent)
IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(shark-liver oil; clear oil-containing pharmaceutical compns. containing therapeutic agent)
IT Sterols
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(soya, ethoxylated; clear oil-containing pharmaceutical compns. containing therapeutic agent)
IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(vegetable, ethoxylated, hydrogenated; clear oil-containing pharmaceutical compns. containing therapeutic agent)
IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(vegetable, ethoxylated; clear oil-containing pharmaceutical compns. containing therapeutic agent)
IT Fats and Glyceridic oils, biological studies

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(vegetable, hydrogenated; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT Fats and Glyceridic oils, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(vegetable; clear oil-containing pharmaceutical compns. containing therapeutic agent)

IT 50-70-4, Sorbitol, biological studies 50-70-4D, Sorbitol, esters 50-78-2, Aspirin 56-81-5, Glycerol, biological studies 57-10-3, Palmitic acid, biological studies 57-11-4, Stearic acid, biological studies 57-55-6, Propylene glycol, biological studies 57-55-6D, 1,2-Propanediol, cyclodextrin ethers 58-32-2, Dipyridamole 58-95-7, α-Tocopherol acetate 59-02-9, α-Tocopherol 60-33-3, 9,12-Octadecadienoic acid (9Z,12Z)-, biological studies 64-17-5, Ethanol, biological studies 67-63-0, Isopropanol, biological studies 77-89-4, Acetyl triethyl citrate 77-90-7, Acetyl tributyl citrate 77-93-0, Triethyl citrate 77-94-1, Tributyl citrate 81-24-3 81-25-4 81-81-2, Warfarin 83-44-3 87-69-4D, Tartaric acid, esters 87-78-5, Mannitol 100-51-6, Benzyl alcohol, biological studies 102-76-1, Triacetin 105-37-3, Ethyl propionate 105-54-4, Ethyl butyrate 105-60-2, ε-Caprolactam, biological studies 105-60-2D, ε-Caprolactam, derivs. 106-32-1, Ethyl caprylate 107-21-1, Ethylene glycol, biological studies 107-21-1D, Ethylene glycol, esters 107-88-0, 1,3-Butanediol 110-27-0, Isopropyl myristate 111-62-6, Ethyl oleate 111-90-0, Transcutol 112-80-1, Oleic acid, biological studies 115-77-5, Pentaerythritol, biological studies 115-77-5D, Pentaerythritol, esters 115-83-3, Pentaerythritol tetrastearate 118-71-8, Maltol 119-13-1, δ-Tocopherol 122-32-7, Glyceryl trioleate 124-07-2, Octanoic acid, biological studies 127-19-5, Dimethylacetamide 128-13-2 141-22-0 142-62-1, Hexanoic acid, biological studies 142-91-6, Isopropyl palmitate 143-07-7, Lauric acid, biological studies 148-03-8, β-Tocopherol 151-41-7, Lauryl sulfate 334-48-5, Decanoic acid 360-65-6 434-13-9 463-40-1 474-25-9 475-31-0 490-23-3, β-Tocotrienol 502-44-3, ε-Caprolactone 516-35-8 516-50-7 537-40-6, Glyceryl trilinoleate 538-23-8, Glyceryl tricaprylate 538-24-9, Glyceryl trilaurate 541-15-1D, Carnitine, esters with fatty acids, salts 544-35-4, Ethyl linoleate 544-63-8, Myristic acid, biological studies 555-43-1, Glyceryl tristearate 577-11-7, Sodium docusate 616-45-5, 2-Pyrrolidone 616-45-5D, 2-Pyrrolidone, derivs. 621-70-5, Glyceryl tricaproate 621-71-6, Glyceryl tricaprate 623-84-7, Propylene glycol diacetate 640-79-9 675-20-7, 2-Piperidone 675-20-7D, 2-Piperidone, derivs. 823-22-3, δ-Caprolactone 872-50-4, N-Methylpyrrolidone, biological studies 1331-12-0, Propylene glycol monoacetate 1338-39-2, Sorbitan monolaurate 1338-41-6, Sorbitan monostearate 1338-43-8, Sorbitan monooleate 1398-61-4, Chitin 1406-18-4, Vitamin E 1721-51-3, α-Tocotrienol 1935-18-8, Palmitoylcarnitine 2466-77-5, Lauroylcarnitine 2687-91-4, N-Ethylpyrrolidone 2687-94-7, N-Octylpyrrolidone 2687-96-9, N-Lauryl-2-pyrrolidone 3068-88-0, β-Butyrolactone 3416-24-8, Glucosamine 3445-11-2 4345-03-3, α-Tocopherol succinate 5306-85-4, Dimethyl isosorbide 6493-05-6, Pentoxifylline 6990-06-3, Fusidic acid 7616-22-0, γ-Tocopherol 7664-93-9D, Sulfuric acid, alkyl esters, salts 8007-43-0, Sorbitan sesquioleate 9002-89-5, Polyvinylalcohol 9002-92-0, Polyethylene glycol lauryl ether 9002-96-4 9003-39-8, Polyvinylpyrrolidone

9003-39-8D, PVP, conjugates with phosphatidylethanolamines 9004-34-6D, Cellulose, derivs. 9004-54-0, Dextran, biological studies 9004-57-3, Ethyl cellulose 9004-61-9, Hyaluronic acid 9004-65-3, Hydroxypropyl methyl cellulose 9004-67-5, Methyl cellulose 9004-74-4, Methoxy polyethylene glycol 9004-81-3, Polyethylene glycol monolaurate 9004-95-9, Polyethylene glycol cetyl ether 9004-96-0, Polyethylene glycol oleate 9004-98-2, Polyethylene glycol oleyl ether 9004-99-3, Polyethylene glycol monostearate 9005-00-9, Polyethylene glycol stearyl ether 9005-02-1, Polyethylene glycol dilaurate 9005-07-6, Polyethylene glycol dioleate 9005-08-7, Polyethylene glycol distearate 9005-25-8, Starch, biological studies 9005-32-7D, Alginic acid, salts 9005-37-2, Propylene glycol alginate 9005-49-6, Heparin, biological studies 9005-64-5, Polysorbate 20 9005-65-6, Polysorbate 80 9005-66-7, Tween 40 9005-67-8, Tween 60 9007-27-6, Chondroitin 9007-48-1, Polyglyceryl oleate 9009-32-9, Polyglyceryl stearate 9014-63-5, Xylan 9016-45-9, Polyethylene glycol nonyl phenyl ether 9041-08-1, Heparin sodium 9050-30-0, Heparan sulfate 9050-36-6, Maltodextrin 9062-73-1, Polyethylene glycol sorbitan laurate 9062-90-2, Polyethylene glycol sorbitan oleate 10041-19-7 11140-04-8, Imwitor 988 12619-70-4, Cyclodextrin 12619-70-4D, Cyclodextrin, hydroxypropyl ethers 12772-47-3, Pentaerythritol oleate 13027-26-4, δ-Tocopherol acetate 13081-97-5, Pentaerythritol distearate 13552-80-2, Glyceryl triundecanoate 14101-61-2, γ-Tocotrienol 14440-80-3, Stearoyl-2 Lactylate 14465-68-0, Glyceryl trilinolenate 14605-22-2 22373-05-3, β-Tocopherol acetate 22373-06-4, γ-Tocopherol acetate 22882-95-7, Isopropyl linoleate 25168-73-4, Sucrose monostearate 25249-06-3, Polygalacturonic acid 25322-68-3D, ethers or esters 25322-69-4D, Polypropylene glycol, esters 25339-99-5, Sucrose monolaurate 25612-59-3, δ-Tocotrienol 25618-55-7D, Polyglycerol, esters with fatty acids 25637-97-2, Sucrose dipalmitate 26266-57-9, Sorbitan monopalmitate 26266-58-0, Sorbitan trioleate 26446-38-8, Sucrose monopalmitate 26658-19-5, Sorbitan tristearate 27195-16-0, Sucrose distearate 27321-96-6, Polyethylene glycol cholesteryl ether 29874-09-7, Myristoylcarnitine 29894-36-8, Polymannuronic acid 31692-85-0, Glycofurol 31694-55-0D, AMD triesters with fatty acids 35296-72-1, Butanol 36291-32-4, Citric acid monoglyceride 37270-89-6, Nadroparin calcium 51938-44-4, Sorbitan sesquistearate 53168-42-6, Myvacet 9-45 54392-26-6, Sorbitan monoisostearate 55142-85-3, Ticlid 56451-84-4 57307-93-4, Pentaerythritol caprylate 61725-93-7, Polyglyceryl distearate 61752-68-9, Sorbitan tetrastearate 64480-66-6, Glycoursodeoxycholic acid 68818-37-1, Pentaerythritol decanoate 68958-64-5, Polyethylene glycol glyceryl trioleate 69070-98-0 70226-44-7, Heparan 73963-72-1, Cilostazol 74504-64-6, Polyglyceryl laurate 75634-40-1, Dermatan 83138-62-9, Polyglyceryl isostearate 88662-03-7 93790-70-6, Cholylsarcosine 93790-72-8, N-Methyltaurocholic acid 98913-68-9, Pentaerythritol isostearate 106392-12-5, Polyethylene glycol-polypropylene glycol block copolymer 110540-43-7, Polyglyceryl pentaoleate 113665-84-2, Clopidogrel 128254-89-7 128254-90-0 128286-20-4 146478-45-7, Polyglyceryl dioleate 148796-42-3 150372-93-3, Polyoxyethylene glyceryl laurate 162011-90-7, Rofecoxib 181695-72-7, Valdecoxib 198470-84-7, Parecoxib 208666-87-9, Captex 810D 256923-73-6, γ-Tocotrienol acetate 300583-65-7 300583-68-0 403815-06-5 403815-07-6 403815-12-3 403821-12-5, Polyglyceryl trioleate 403838-29-9
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(clear oil-containing pharmaceutical compns. containing therapeutic agent)

REFERENCE COUNT: 88 THERE ARE 88 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L92 ANSWER 15 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2001:780650 CAPLUS Full-text
DOCUMENT NUMBER: 135:335149
TITLE: Particulate compositions based on crosslinked polymers
INVENTOR(S): Dickinson, Paul Alfred; Kellaway, Ian Walter; Howells, Stephen Wyn
PATENT ASSIGNEE(S): University College Cardiff Consultants Limited, UK
SOURCE: PCT Int. Appl., 32 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001078689	A2	20011025	WO 2001-GB1752	20010418
WO 2001078689	A3	20020328		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2405659	A1	20011025	CA 2001-2405659	20010418
EP 1274403	A2	20030115	EP 2001-921626	20010418
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
US 2003161886	A1	20030828	US 2003-258190	20030117
US 7018657	B2	20060328		
US 2006093557	A1	20060504	US 2005-305784	20051216
PRIORITY APPLN. INFO.:			GB 2000-9773 A	20000419
			WO 2001-GB1752 W	20010418
			US 2003-258190 A1	20030117

ED Entered STN: 26 Oct 2001
AB Nanoparticles are prepared from a colloidal system comprising a continuous phase and micelles, the micelles comprising surfactant material. A microemulsion is formed by admixing the colloidal system with a solution of an active material, such as a medicament, dissolved in a solvent wherein the solution forms a disperse phase with the micelles of surfactant material. At least the dispersed phase is quenched to a solid state and the continuous phase and solvent are removed to produce the nanoparticles. The nanoparticles can be incorporated in an aerosol composition suitable for deep lung delivery by means of a metered dose inhaler. For example, nanoparticles were formed using iso-octane, the lecithin/propanol-2-ol (1:3 by weight) surfactant system including as the active material pEGFP-N1 reporter plasmid DNA (4700 base pairs). The particles also contained protamine sulfate (1:1 by weight with respect to pDNA) and sucrose at a concentration of 0.5M in the aqueous phase.
IC ICM A61K009-51
ICS A61K009-12
CC 63-6 (Pharmaceuticals)
IT Lipids, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(cationic; preparation of crosslinked polymer nanoparticles from colloidal system comprising continuous phase and surfactant micelles)

IT Bronchodilators
Centrifugation
Emulsifying agents
Freeze drying
Micelles
Polymerization catalysts
Propellants (sprays and foams)
Ultrafiltration
(preparation of crosslinked polymer nanoparticles from colloidal system comprising continuous phase and surfactant micelles)
IT Alkyl chlorides
Bile salts
Carbohydrates, biological studies
Corticosteroids, biological studies
DNA
Disaccharides
Monosaccharides
Nucleic acids
Peptides, biological studies
Phospholipids, biological studies
Proteins, general, biological studies
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preparation of crosslinked polymer nanoparticles from colloidal system comprising continuous phase and surfactant micelles)
IT 7727-37-9, Nitrogen, uses
RL: NUU (Other use, unclassified); USES (Uses)
(liquid, freeze drying in; preparation of crosslinked polymer nanoparticles from colloidal system comprising continuous phase and surfactant micelles)
IT 50-56-6, Oxytocin, biological studies 57-50-1, Sucrose, biological studies 76-25-5, Triamcinolone acetonide 431-89-0, 1,1,1,2,3,3,3-Heptafluoropropane 577-11-7, Sodium bis(2-ethylhexyl) sulfosuccinate 811-97-2, 1,1,1,2-Tetrafluoroethane 5534-09-8, Beclomethasone dipropionate 9002-72-6, Growth hormone 9004-10-8, Insulin, biological studies 9007-12-9, Calcitonin 9034-40-6, LHRH 12441-09-7D, Sorbitan, esters, ethoxylated 18559-94-9, Salbutamol 22254-24-6, Ipratropium bromide 23031-25-6, Terbutaline 23031-32-5, Terbutaline sulfate 51022-70-9, Salbutamol sulfate 51333-22-3, Budesonide 53714-56-0, Leuprolide 106392-12-5, Poloxamer 113669-21-9
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(preparation of crosslinked polymer nanoparticles from colloidal system comprising continuous phase and surfactant micelles)

L92 ANSWER 16 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2001:693132 CAPLUS Full-text
DOCUMENT NUMBER: 135:262214
TITLE: Use of monoglycerides and emulsifiers for solubilizing water-insoluble agents
INVENTOR(S): Jeong, Seo Young; Kwon, Ick Chan; Chung, Hesson
PATENT ASSIGNEE(S): Korea Institute of Science and Technology, S. Korea
SOURCE: PCT Int. Appl., 47 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE

WO 2001068139 A1 20010920 WO 2001-KR389 20010313
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
AU 200141245 A 20010924 AU 2001-41245 20010313
AU 777347 B2 20041014
EP 1263468 A1 20021211 EP 2001-912555 20010313
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
JP 2003526679 T 20030909 JP 2001-566702 20010313
US 2003099675 A1 20030529 US 2002-221449 20020912
US 6994862 B2 20060207
PRIORITY APPLN. INFO.: KR 2000-12465 A 20000313
WO 2001-KR389 W 20010313

ED Entered STN: 21 Sep 2001

AB The present invention relates to an anhydrous liquid composition wherein monoglyceride is mixed with an emulsifier and a solvent, and the manufacturing method thereof, and more specifically, to an anhydrous liquid composition wherein monoglyceride is mixed with a water-insol. material, an emulsifier and a solvent, and the manufacturing method thereof. Further, the present invention relates to a lyophilized powder and the manufacturing method thereof, wherein the lyophilized powder is prepared by dissolving the mixed liquid composition in water, adding with a cryoprotectant followed by the lyophilization. In the process of dispersion, the lyophilized liquid composition and the powder of the present invention can spontaneously generate particles of 200-500 nm by gently shaking with hands without a powerful mech. force. Also the lyophilized liquid composition and the powder of the present invention are physicochem. stable since they neither contain water that causes oxidation or hydrolysis upon storage nor undergo phase separation Considering all the raw materials of the present invention are biocompatible, the present invention will be useful in medical and pharmaceutical fields such as drug delivery. Monoolein 140, Pluronic F-127 28, rifampicin 0.7, PEG-400 180 mg, and ethanol 1.4 mL were mixed to obtain a liquid formulation from which rifampicin was release over 120 h.

IC A61K047-06

CC 63-5 (Pharmaceuticals)

IT Surfactants
(cationic; use of monoglycerides and emulsifiers for solubilizing water-insol. agents)

IT Drug delivery systems
(freeze-dried; use of monoglycerides and emulsifiers for solubilizing water-insol. agents)

IT Albumins, biological studies
Amino acids, biological studies
Bile acids
Carbohydrates, biological studies
Estrogens
Fatty acids, biological studies
Glycosaminoglycans, biological studies
Hormones, animal, biological studies
Monoglycerides
Phosphatidic acids
Phosphatidylcholines, biological studies
Phosphatidylethanolamines, biological studies
Phosphatidylserines

Polynucleotides
Polyoxyalkylenes, biological studies
Prostaglandins
Proteins, general, biological studies
Vitamins
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(use of monoglycerides and emulsifiers for solubilizing water-insol. agents)

IT 57-55-6, Propylene glycol, biological studies 57-83-0, progesterone, biological studies 64-17-5, Ethanol, biological studies 67-64-1, Acetone, biological studies 67-66-3, Chloroform, biological studies 67-68-5, Dimethylsulfoxide, biological studies 69-65-8, mannitol 71-43-2, Benzene, biological studies 74-79-3, arginine, biological studies 75-05-8, Acetonitrile, biological studies 81-25-4D, Cholic acid, salts and derivs. 83-44-3D, Deoxycholic acid, salts and derivs. 99-20-7, trehalose 107-21-1, Ethylene glycol, biological studies 108-88-3, Toluene, biological studies 128-13-2D, Ursodeoxycholic acid, salts and derivs. 151-21-3, Sodium dodecyl sulfate, biological studies 302-79-4, retinoic acid 434-13-9D, Lithocholic acid, salts and derivs. 474-25-9D, Chenodeoxycholic acid, salts and derivs. 9005-63-4, ethoxylated sorbitan 9005-64-5, tween 20 9005-65-6, tween 80 12441-09-7D, sorbitan, esters 13292-46-1, Rifampicin 25322-68-3, Polyethylene glycol 25496-72-4, Monoolein 28063-42-5, monoerucin 29798-65-0, Monoelaidin 33069-62-4, paclitaxel 38396-39-3, Bupivacaine 55030-82-5, monomyristolein 55030-83-6, monopalmitolein 59865-13-3, cyclosporin a 104162-48-3, Dotma 106392-12-5, Pluronic F-127 137056-72-5, DC-chol 144189-73-1, DOTAP 183283-20-7
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(use of monoglycerides and emulsifiers for solubilizing water-insol. agents)

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L92 ANSWER 17 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2001:434905 CAPLUS Full-text
DOCUMENT NUMBER: 135:37173
TITLE: Nucleic acid delivery system
INVENTOR(S): Guan, Holly
PATENT ASSIGNEE(S): Artursson, Per, Swed.
SOURCE: PCT Int. Appl., 45 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001041810	A2	20010614	WO 2000-EP12339	20001207
WO 2001041810	A3	20020425		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, SZ, BE, CY, FR, GR, IE, IT, MC, NL, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

CA 2393526	A1	20010614	CA 2000-2393526		20001207
EP 1235597	A2	20020904	EP 2000-981347		20001207
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR					
JP 2003516365	T	20030513	JP 2001-543154		20001207
AU 782370	B2	20050721	AU 2001-18621		20001207
US 2003166594	A1	20030904	US 2003-149458		20030218
PRIORITY APPLN. INFO.:			SE 1999-4475	A	19991208
			US 1999-171307P	P	19991221
			WO 2000-EP12339	W	20001207

ED Entered STN: 15 Jun 2001

AB The present invention is directed to a composition and pharmaceutical prepns. for introducing nucleic acids including oligo- or poly-nucleotides into cells in a host tissue by a delivery system and a method of preparing such a composition The composition for delivery of nucleic acids comprises polymeric carrier particles that are essentially free of groups having a pos. elec. charge and the nucleic acids are provided essentially on the surface of the particles. The carrier particle is insol. in water but suitably it is able to absorb water quickly.

IC ICM A61K047-48

CC 63-5 (Pharmaceuticals)

IT Polymers, biological studies
RL: PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(cross-linked, particles; polymeric particle composition for use as a nucleic acid delivery system)

IT Alcohols, biological studies
RL: MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(polyhydric, solubilizers; polymeric particle composition for use as a nucleic acid delivery system)

IT Antitumor agents
Autoimmune disease
Cryoprotectants
Drying
Freeze drying
Gene therapy
Genetic engineering
Genetic vectors
Infection
Milling (size reduction)
Neoplasm
Plasmid vectors
Solubilizers
Stabilizing agents
Surfactants
Transduction, genetic
pH
(polymeric particle composition for use as a nucleic acid delivery system)

IT Antisense RNA
Antisense oligonucleotides
DNA
Nucleic acids
Polymers, biological studies
RNA
RL: PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(polymeric particle composition for use as a nucleic acid delivery system)

IT Polyoxyalkylenes, biological studies

RL: MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(solubilizer; polymeric particle composition for use as a nucleic acid delivery system)

IT Polysaccharides, biological studies
RL: MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(solubilizers; polymeric particle composition for use as a nucleic acid delivery system)

IT Amino acids, biological studies
RL: MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(stabilizing agent; polymeric particle composition for use as a nucleic acid
delivery system)

IT Alditols
Carbohydrates, biological studies
RL: MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(stabilizing agents; polymeric particle composition for use as a nucleic acid delivery system)

IT 9004-34-6, Cellulose, biological studies
RL: PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(particles; polymeric particle composition for use as a nucleic acid delivery system)

IT 57-09-0, Cetyltrimethylammonium bromide 69-65-8, Mannitol 69-79-4D, D-Maltose, acyl derivs. 151-21-3, Sds, biological studies 9005-64-5, tween 20 9005-65-6, tween 80 9005-66-7, tween 40 106392-12-5, poloxamer 407
RL: MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(polymeric particle composition for use as a nucleic acid delivery system)

IT 56-81-5, Glycerol, biological studies 64-17-5, Ethanol, biological studies 107-21-1, Ethylene glycol, biological studies 9002-89-5, Polyvinylalcohol 9003-39-8, Polyvinylpyrrolidone 9004-54-0, Dextran, biological studies 9005-25-8, Starch, biological studies 9005-27-0, Hydroxyethyl starch 9005-49-6, Heparin, biological studies 9005-80-5, Inulin 12619-70-4, Cyclodextrin 25322-68-3, Polyethylene glycol
RL: MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(solubilizer; polymeric particle composition for use as a nucleic acid delivery system)

IT 50-70-4, Sorbitol, biological studies 50-99-7, Dextrose, biological studies 56-40-6, Glycine, biological studies 56-41-7, ALanine, biological studies 56-84-8, L-Aspartic acid, biological studies 56-86-0, L-Glutamic acid, biological studies 56-87-1, Lysine, biological studies 57-50-1, Sucrose, biological studies 63-42-3, Lactose 71-00-1, histidine, biological studies 74-79-3, Arginine, biological studies 99-20-7, Trehalose
RL: MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(stabilizing agent; polymeric particle composition for use as a nucleic

acid
delivery system)

L92 ANSWER 18 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2001:137049 CAPLUS Full-text
DOCUMENT NUMBER: 134:198023
TITLE: Methods and materials for the treatment of prostatic carcinoma
INVENTOR(S): Seid, Christopher Allen; Singh, Gurpreet; Podolski, Joseph S.
PATENT ASSIGNEE(S): Zonagen, Inc., USA
SOURCE: PCT Int. Appl., 66 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001012218	A1	20010222	WO 2000-US6493	20000310
W: AU, CA, CN, JP				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2380912	A1	20010222	CA 2000-2380912	20000310
EP 1206277	A1	20020522	EP 2000-917886	20000310
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY				

PRIORITY APPLN. INFO.: US 1999-375092 A 19990816
WO 2000-US6493 W 20000310

ED Entered STN: 25 Feb 2001
AB The present invention relate generally to materials and methods for reduction and/or alleviation of prostatic and prostatic-related (metastatic) carcinoma via the administration of disclosed compns., immunotherapeutic agents, or antibodies.
IC ICM A61K039-00
ICS A61K039-39; A61P035-00; A61P035-04; A61K039-00; A61K039-39; A61K031-165
CC 63-3 (Pharmaceuticals)
Section cross-reference(s): 1
IT Antigens
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(PCTA-1 (prostate carcinoma tumor antigen-1); methods and materials for the treatment of prostatic carcinoma)
IT Antigens
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(PSCA (prostate stem cell antigen); methods and materials for the treatment of prostatic carcinoma)
IT Antigens
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(PSMA (prostate-specific membrane antigen); methods and materials for

the treatment of prostatic carcinoma)
IT Antigens
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(PTEN/MMAC1; methods and materials for the treatment of prostatic carcinoma)
IT Antigens
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(PTI-1 (prostate carcinoma tumor inducer-1); methods and materials for the treatment of prostatic carcinoma)
IT Surfactants
(adjuvant component; methods and materials for the treatment of prostatic carcinoma)
IT Canola oil
Corn oil
Olive oil
Peanut oil
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(adjuvant component; methods and materials for the treatment of prostatic carcinoma)
IT Androgens
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(antiandrogens; methods and materials for the treatment of prostatic carcinoma)
IT Phosphates, uses
RL: NUU (Other use, unclassified); USES (Uses)
(buffers; methods and materials for the treatment of prostatic carcinoma)
IT Centrifugation
Freeze drying
Genetic vectors
Molecular cloning
Sonication
Transformation, genetic
pH
(methods and materials for the treatment of prostatic carcinoma)
IT Prostate-specific antigen
RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(methods and materials for the treatment of prostatic carcinoma)
IT Gonadotropin receptors
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(methods and materials for the treatment of prostatic carcinoma)
IT Antigens

RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(prostate-associated; methods and materials for the treatment of prostatic carcinoma)

IT 9001-01-8, Kallikrein
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(HK2 (human glandular kallikrein-2); methods and materials for the treatment of prostatic carcinoma)

IT 111-02-4, Squalene 1310-73-2, Sodium hydroxide, biological studies
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(adjuvant component; methods and materials for the treatment of prostatic carcinoma)

IT 9005-64-5, Polyoxyethylene sorbitan monolaurate 9005-65-6, Polyoxyethylene sorbitan monooleate 26266-58-0, Sorbitan trioleate 106392-12-5, Poloxamer 401
RL: MOA (Modifier or additive use); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(adjuvant component; methods and materials for the treatment of prostatic carcinoma)

IT 9012-76-4, Chitosan
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(adjuvant; methods and materials for the treatment of prostatic carcinoma)

IT 427-51-0, Cyproterone acetate 7439-89-6D, Iron, chitosan chelates, biological studies 7440-02-0D, Nickel, chitosan chelates, biological studies 7440-50-8D, Copper, chitosan chelates, biological studies 7440-66-6D, Zinc, chitosan chelates, biological studies 9012-76-4D, Chitosan, metal chelates 13311-84-7, Flutamide 26062-48-6, Polyhistidine 26854-81-9, Polyhistidine 90357-06-5, Bicalutamide 98319-26-7, Finasteride
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(methods and materials for the treatment of prostatic carcinoma)

IT 9001-77-8
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(prostatic; methods and materials for the treatment of prostatic carcinoma)

IT 64-19-7, Acetic acid, uses 127-09-3, Sodium acetate
RL: NUU (Other use, unclassified); USES (Uses)
(solvent; methods and materials for the treatment of prostatic carcinoma)

IT 151001-60-4, PN: WO9946405 SEQID: 23 unclaimed DNA
175256-47-0, PN: DE19841413 SEQID: 24 unclaimed DNA

253274-80-5, 1: PN: WO9965521 SEQID: 1 unclaimed DNA
253274-81-6, 3: PN: WO9965521 SEQID: 2 unclaimed DNA
253275-11-5, 2: PN: WO9965521 SEQID: 5 unclaimed DNA
253275-29-5, 4: PN: WO9965521 SEQID: 7 unclaimed DNA
RL: PRP (Properties)
(unclaimed nucleotide sequence; methods and materials for the treatment of prostatic carcinoma)

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L92 ANSWER 19 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2001:31306 CAPLUS Full-text
DOCUMENT NUMBER: 134:105846
TITLE: Clear aqueous dispersions of triglycerides and surfactants for delivery of drugs and nutrients
INVENTOR(S): Chen, Feng-Jing; Patel, Mahesh V.
PATENT ASSIGNEE(S): Lipocine, Inc., USA
SOURCE: PCT Int. Appl., 103 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 13
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001001960	A1	20010111	WO 2000-US15133	20000602
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6267985	B1	20010731	US 1999-345615	19990630
CA 2375083	A1	20010111	CA 2000-2375083	20000602
EP 1194120	A1	20020410	EP 2000-938039	20000602
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 2003503440	T	20030128	JP 2001-507455	20000602
NZ 516521	A	20031128	NZ 2000-516521	20000602
AU 783077	B2	20050922	AU 2000-53131	20000602

PRIORITY APPLN. INFO.: US 1999-345615 A 19990630
WO 2000-US15133 W 20000602

ED Entered STN: 12 Jan 2001
AB The present invention relates to drug and nutrient delivery systems, and in particular to pharmaceutical compns. and methods for improved solubilization of triglycerides and improved delivery of therapeutic agents. Compns. of the present invention include a triglyceride and a carrier, where the carrier is formed from a combination of at least two surfactants, at least one of which is hydrophilic. Upon dilution with an aqueous solvent, the composition forms a clear, aqueous dispersion of the triglyceride and surfactants. An optional therapeutic agent can be incorporated into the composition, or can be co-administered with the composition The invention also provides methods of enhancing triglyceride solubility and methods of treatment with therapeutic agents using these compns. Several formulations were presented of compns. that can be prepared according to the present invention using a variety of therapeutic agents. Examples of aqueous dispersions include: (1) Cremophor RH-40 0.75, Peceol 0.25, corn oil 0.40, and fenofibrate 0.10; (2) Cremophor

RH-40 0.57, Crovol M-40 0.43, corn oil 0.40, and Rofecoxib 0.15; (3) Tween 80 0.70, Tween 85 0.35, Miglyol 812 0.30, Paclitaxel 0.10, and PEG 400 0.25; or (4) Kessco PEG 400 MO 0.33, corn oil 0.30, and Terbinafine 0.25 parts, resp.

IC ICM A61K009-08
ICS A61K009-10; A61K009-12; A61K009-14; A61K009-16; A61K009-20; A61K009-28; A61K009-48; A61K009-66

CC 63-6 (Pharmaceuticals)
Section cross-reference(s): 18

IT Antifoaming agents
Binders
Buffers
Chelating agents
Coloring materials
Compression
Cosmetics
Encapsulation
Flavoring materials
Freeze drying
Granulation
Homogenization
Hydrophile-lipophile balance value
Melting
Mixing
Molding
Nutrients
Odor and Odorous substances
Opacifiers
Peptidomimetics
Plasticizers
Preservatives
Size reduction
Solubilization
Solubilizers
Sonication
Spraying
Surfactants
(clear aqueous dispersions of triglyceride and surfactants for delivery of drugs and nutrients)

IT Alcohols, biological studies
Amides, biological studies
Bile salts
Canola oil
Castor oil
Coconut oil
Corn oil
Cottonseed oil
DNA
Diglycerides
Esters, biological studies
Glycerides, biological studies
Lecithins
Lysophosphatidic acids
Lysophosphatidylcholines
Lysophosphatidylethanolamines
Lysophosphatidylserines
Lysophospholipids
Monoglycerides
Oligodeoxyribonucleotides
Oligonucleotides
Olive oil

Palm kernel oil
Palm oil
Peanut oil
Peptides, biological studies
Phosphatidic acids
Phosphatidylcholines, biological studies
Phosphatidylethanolamines, biological studies
Phosphatidylglycerols
Phosphatidylserines
Phospholipids, biological studies
Polyoxyalkylenes, biological studies
Proteins, general, biological studies
Quaternary ammonium compounds, biological studies
RNA
Rape oil
Safflower oil
Soybean oil
Sterols
Sunflower oil
Vitamins
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(clear aqueous dispersions of triglyceride and surfactants for delivery of drugs and nutrients)

IT 50-21-5D, Lactic acid, acyl esters 50-70-4D, Sorbitol, esters 50-99-7D, D-Glucose, alkyl esters, biological studies 56-81-5, Glycerol, biological studies 57-10-3, Hexadecanoic acid, biological studies 57-11-4, Octadecanoic acid, biological studies 57-55-6, Propylene glycol, biological studies 57-55-6D, Propylene glycol, esters and ethers 57-83-0, Progesterone, biological studies 57-88-5, Cholesterol, biological studies 60-33-3, 9,12-Octadecadienoic acid (9Z,12Z)-, biological studies 64-17-5, Ethanol, biological studies 67-63-0, Isopropanol, biological studies 69-65-8, Mannitol 69-79-4D, Maltose, alkyl esters 71-36-3, Butanol, biological studies 77-89-4, Acetyl triethylcitrate 77-90-7, Acetyl tributyl citrate 77-92-9D, Citric acid, esters 77-93-0, Triethylcitrate 77-94-1, Tributylcitrate 81-24-3, Taurocholic acid 81-25-4, Cholic acid 83-44-3, Deoxycholic acid 87-69-4D, Tartaric acid, esters, biological studies 100-51-6, Benzyl alcohol, biological studies 102-76-1, Triacetin 105-37-3, Ethyl propionate 105-54-4, Ethyl butyrate 105-60-2, ε-Caprolactam, biological studies 105-60-2D, Caprolactam, N-alkyl derivs. 106-32-1, Ethyl caprylate 107-21-1D, Ethylene glycol, esters 107-88-0, 1,3-Butanediol 110-15-6D, Succinic acid, esters 110-27-0, Isopropyl myristate 111-62-6, Ethyl oleate 111-90-0, Transcutol 112-80-1, Oleic acid, biological studies 115-77-5, Pentaerythritol, biological studies 115-77-5D, Pentaerythritol, esters 115-83-3, Pentaerythrityl tetrastearate 118-71-8, Maltol 122-32-7, Glyceryl trioleate 124-07-2, Caprylic acid, biological studies 127-19-5, Dimethylacetamide 128-13-2, Ursodeoxycholic acid 141-22-0 142-62-1, Caproic acid, biological studies 142-91-6, Isopropyl palmitate 143-07-7, Lauric acid, biological studies 151-41-7, Lauryl sulfate 302-79-4, Retinoic acid 334-48-5, Capric acid 360-65-6, Glycodeoxycholic acid 434-13-9, Lithocholic acid 463-40-1 474-25-9, Chenodeoxycholic acid 475-31-0, Glycocholic acid 502-44-3, ε-Caprolactone 516-35-8, Taurochenodeoxycholic acid 516-50-7, Taurodeoxycholic acid 537-40-6, Glyceryl trilinoleate 538-23-8, Glyceryl tricaprylate 538-24-9, Glyceryl trilaurate 541-15-1D, Carnitine, fatty esters, salts 542-28-9, δ-Valerolactone 544-35-4, Ethyl linoleate 544-63-8, Myristic acid, biological studies 577-11-7, Sodium docusate 616-45-5, 2-Pyrrolidone 616-45-5D, Pyrrolidone, N-alkyl and N-hydroxyalkyl derivs.

621-70-5, Glyceryl tricaproate 621-71-6, Glyceryl tricaprate 623-84-7, Propylene glycol diacetate 640-79-9, Glycochenodeoxycholic acid 675-20-7, 2-Piperidone 872-50-4, N-Methylpyrrolidone, biological studies 1331-12-0, Propylene glycol monoacetate 1335-71-3, Propylene glycol oleate 1338-39-2, Sorbitan monolaurate 1338-41-6, Sorbitan monostearate 1338-43-8, Sorbitan monooleate 1935-18-8, Palmitoyl carnitine 1972-08-3, Dronabinol 2466-77-5, Lauroyl carnitine 2687-91-4, N-Ethylpyrrolidone 2687-94-7, N-Octylpyrrolidone 2687-96-9, N-Lauryl-2-pyrrolidone 3008-50-2, Pentaerythritol tetracaprylate 3068-88-0, β-Butyrolactone 3445-11-2 5306-85-4, Dimethyl isosorbide 6990-06-3, Fusidic acid 7664-93-9D, Sulfuric acid, alkyl esters, biological studies 8007-43-0, Sorbitan sesquioleate 9002-89-5, Polyvinylalcohol 9002-92-0, Polyethylene glycol lauryl ether 9002-96-4 9003-39-8, Polyvinylpyrrolidone 9003-39-8D, Polyvinylpyrrolidone, reaction products with phosphatidylethanolamine 9004-34-6D, Cellulose, ethers, biological studies 9004-57-3, Ethylcellulose 9004-65-3, Hydroxypropyl methylcellulose 9004-67-5, Methylcellulose 9004-74-4, Methoxy-polyethylene glycol 9004-81-3, Polyethylene glycol laurate 9004-95-9, Polyethylene glycol cetyl ether 9004-96-0, Polyethylene glycol oleate 9004-98-2, Polyethylene glycol oleyl ether 9004-99-3, Polyethylene glycol stearate 9005-00-9, Polyethylene glycol stearyl ether 9005-02-1, Polyethylene glycol dilaurate 9005-07-6, Polyethylene glycol dioleate 9005-08-7, Polyethylene glycol distearate 9005-32-7D, Alginic acid, salts 9005-37-2, Propylene glycol alginate 9005-63-4D, Polyoxyethylene sorbitan, esters with fatty acids 9005-64-5, Polysorbate 20 9005-65-6, Polysorbate 80 9005-66-7, Tween 40 9005-67-8, Tween 60 9005-70-3, Tween 85 9007-48-1, Polyglyceryl oleate 9009-32-9, Polyglyceryl stearate 9011-29-4 9016-45-9 9041-08-1, Heparin sodium 9050-36-6, Maltodextrin 9062-73-1, Polyethylene glycol sorbitan laurate 9062-90-2, Polyethylene glycol sorbitan oleate 11140-04-8, Imwitor 988 12619-70-4, Cyclodextrin 12619-70-4D, Cyclodextrin, propanediol and sulfobutyl ethers 13081-97-5, Pentaerythrityl distearate 13552-80-2, Glyceryl triundecanoate 13784-61-7, Pentaerythritol tetracaprate 14440-80-3, Stearoyl-2-lactylate 14465-68-0, Glyceryl trilinolenate 14605-22-2, Tauroursodeoxycholic acid 19321-40-5, Pentaerythrityl tetraoleate 22882-95-7, Isopropyl linoleate 25168-73-4, Sucrose monostearate 25265-75-2, Butanediol 25322-68-3D, Polyethylene glycol, esters 25322-69-4, Polypropylene glycol 25339-99-5, Sucrose monolaurate 25496-72-4, Glyceryl monooleate 25618-55-7D, Polyglycerol, esters with fatty acids 25637-84-7, Glyceryl dioleate 25637-97-2, Sucrose dipalmitate 26264-14-2D, Propanediol, ethers with cyclodextrin 26266-57-9, Sorbitan monopalmitate 26266-58-0, Sorbitan trioleate 26402-22-2, Glyceryl monocaprate 26402-26-6, Glyceryl monocaprylate 26446-38-8, Sucrose monopalmitate 26658-19-5, Sorbitan tristearate 27154-43-4D, Piperidone, N-alkyl derivs. 27195-16-0, Sucrose distearate 27215-38-9, Glyceryl monolaurate 27321-96-6, Polyethylene glycol cholesterol 27638-00-2, Glyceryl dilaurate 29874-09-7, Myristoyl carnitine 31692-85-0, Glycofurol 31694-55-0D, Polyoxyethylene glycerol, esters with fatty acids 33069-62-4, Paclitaxel 36354-80-0, Glyceryl dicaprylate 37220-82-9, Peceol 37321-62-3, Propylene glycol laurate 37348-65-5, Linoleic acid glyceride 42924-53-8, Nabumetone 49562-28-9, Fenofibrate 51192-09-7 51852-65-4 51938-44-4, Sorbitan sesquistearate 53988-07-1, Glyceryl dicaprate 54392-26-6, Sorbitan monoisostearate 59865-13-3, Cyclosporin A 62125-22-8, Pentaerythritol tetraisostearate 64480-66-6, Glycoursodeoxycholic acid 68958-64-5, Polyethylene glycol glyceryl trioleate 69070-98-0 76009-37-5 77944-79-7, Softisan 378 79665-94-4 83138-62-9, Polyglyceryl isostearate 91161-71-6, Terbinafine 93790-70-6, Cholylsarcosine 93790-72-8 94423-19-5 102051-00-3 106392-12-5, Polyoxyethylene-polyoxypropylene block copolymer 110540-43-7

129318-43-0, Alendronate sodium 150372-93-3, Polyethylene glycol glycerol laurate 162011-90-7, Rofecoxib 301524-91-4, Captex 810
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(clear aqueous dispersions of triglyceride and surfactants for delivery of drugs and nutrients)
REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L92 ANSWER 20 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 1999:811109 CAPLUS Full-text
DOCUMENT NUMBER: 132:69323
TITLE: Prostate-associated antigen composition with chitosan metal chelate for the treatment of prostatic carcinoma
INVENTOR(S): Seid, Christopher Allen; Singh, Gurpreet
PATENT ASSIGNEE(S): Zonagen, Inc., USA
SOURCE: PCT Int. Appl., 65 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9965521	A1	19991223	WO 1999-US9592	19990430
W: AU, CA, CN, JP				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
US 2001014334	A1	20010816	US 1998-99017	19980617
US 6280742	B2	20010828		
CA 2335337	A1	19991223	CA 1999-2335337	19990430
AU 9936737	A	20000105	AU 1999-36737	19990430
AU 771362	B2	20040318		
EP 1087786	A1	20010404	EP 1999-918940	19990430
EP 1087786	B1	20041013		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 2002518345	T	20020625	JP 2000-554399	19990430
AT 279208	T	20041015	AT 1999-918940	19990430
PRIORITY APPLN. INFO.:			US 1998-99017 A	19980617
			WO 1999-US9592 W	19990430

ED Entered STN: 24 Dec 1999
AB The present invention relates generally to materials and methods for reduction and/or alleviation of prostatic and prostatic-related (metastatic) carcinoma via the administration of compns. comprising a prostate-associated antigen and a chitosan-metal chelate.
IC ICM A61K039-00
ICS A61K039-385; A61K039-39; C12N009-64
CC 63-6 (Pharmaceuticals)
Section cross-reference(s): 15
IT Antigens
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(PTEN/MMAC1; prostate-associated antigen composition with chitosan metal chelate for treatment of prostatic carcinoma)
IT Phosphates, uses
RL: NUU (Other use, unclassified); USES (Uses)
(buffers; prostate-associated antigen composition with chitosan metal

chelate
(for treatment of prostatic carcinoma)
IT Metals, biological studies
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(chitosan chelates; prostate-associated antigen composition with chitosan metal
chelate for treatment of prostatic carcinoma)
IT Drug delivery systems
(freeze-dried; prostate-associated antigen composition with chitosan metal chelate for treatment of prostatic carcinoma)
IT Antigens
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(prostate carcinoma tumor inducer-1; prostate-associated antigen composition
with chitosan metal chelate for treatment of prostatic carcinoma)
IT Antigens
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(prostate stem cell antigen; prostate-associated antigen composition with chitosan metal chelate for treatment of prostatic carcinoma)
IT Immunization
Immunostimulants
Molecular cloning
PCR (polymerase chain reaction)
Sonication
Surfactants
Transformation, genetic
pH
(prostate-associated antigen composition with chitosan metal chelate for treatment of prostatic carcinoma)
IT Canola oil
Chelates
Corn oil
Gonadotropin receptors
Olive oil
Peanut oil
Prostate-specific antigen
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(prostate-associated antigen composition with chitosan metal chelate for treatment of prostatic carcinoma)
IT Antigens
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(prostate-specific membrane antigen; prostate-associated antigen composition
with chitosan metal chelate for treatment of prostatic carcinoma)
IT 9001-01-8, Kallikrein

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(2, human glandular; prostate-associated antigen composition with chitosan metal chelate for treatment of prostatic carcinoma)

IT 64-19-7, Acetic acid, uses 127-09-3, Sodium acetate
RL: NUU (Other use, unclassified); USES (Uses)
(chitosan solvent; prostate-associated antigen composition with chitosan metal
chelate for treatment of prostatic carcinoma)

IT 111-02-4, Squalene 7439-89-6D, Iron, chitosan chelates, biological studies 7440-02-0D, Nickel, chitosan chelates, biological studies 7440-50-8D, Copper, chitosan chelates, biological studies 7440-66-6D, Zinc, chitosan chelates, biological studies 9001-77-8 9012-76-4D, Chitosan, metal chelates 26062-48-6D, Polyhistidine, proteins containing 26854-81-9D, Polyhistidine, proteins containing
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(prostate-associated antigen composition with chitosan metal chelate for treatment of prostatic carcinoma)

IT 1310-73-2, Sodium hydroxide, biological studies
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(prostate-associated antigen composition with chitosan metal chelate for treatment of prostatic carcinoma)

IT 158571-62-1, Lipofectamine
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(prostate-associated antigen composition with chitosan metal chelate for treatment of prostatic carcinoma)

IT 9005-64-5, Polyoxyethylene sorbitan monolaurate 9005-65-6, Polyoxyethylene sorbitan monooleate 9005-70-3, Polyoxyethylene sorbitan trioleate 26266-58-0, Sorbitan trioleate 106392-12-5, Poloxamer 401
RL: MOA (Modifier or additive use); NUU (Other use, unclassified); USES (Uses)
(surfactant; prostate-associated antigen composition with chitosan metal chelate for treatment of prostatic carcinoma)

IT 151001-60-4, PN: WO9946405 SEQID: 23 unclaimed DNA
175256-47-0, PN: DE19841413 SEQID: 24 unclaimed DNA
253274-80-5, 1: PN: WO9965521 SEQID: 1 unclaimed DNA
253274-81-6, 3: PN: WO9965521 SEQID: 2 unclaimed DNA
253275-11-5, 2: PN: WO9965521 SEQID: 5 unclaimed DNA
253275-28-4, 3: PN: WO9965521 SEQID: 6 unclaimed DNA
253275-29-5, 4: PN: WO9965521 SEQID: 7 unclaimed DNA
RL: PRP (Properties)
(unclaimed nucleotide sequence; prostate-associated antigen composition with
chitosan metal chelate for treatment of prostatic carcinoma)

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L92 ANSWER 21 OF 27 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 1996:544101 CAPLUS Full-text
DOCUMENT NUMBER: 125:177462
TITLE: Surface-modified nanoparticles and method of making

and using them
INVENTOR(S): Levy, Robert J.; Labhasetwar, Vinod; Song, Cunxian S.
PATENT ASSIGNEE(S): USA
SOURCE: PCT Int. Appl., 170 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9620698	A2	19960711	WO 1996-US476	19960104
WO 9620698	A3	19980122		
W: AL, AM, AT, AU, CA, CH, CN, CZ, DE, DK, GB, HU, IS, JP, KE, LU, VN, MN, NO, US				
RW: KE, LS, SD, AT, BE, CH, DE, ES, FR, GB, IT, LU, NL, PT, SE, NL, MR, NE, SN				
CA 2207961	A1	19960711	CA 1996-2207961	19960104
AU 9647556	A	19960724	AU 1996-47556	19960104
EP 805678	A1	19971112	EP 1996-903476	19960104
EP 805678	B1	20031029		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
JP 10511957	T	19981117	JP 1996-521279	19960104
AT 252894	T	20031115	AT 1996-903476	19960104

PRIORITY APPLN. INFO.: US 1995-369541 A 19950105
US 1995-389893 A 19950216
WO 1996-US476 W 19960104

ED Entered STN: 12 Sep 1996

AB Biodegradable controlled-release nanoparticles as sustained release bioactive agent delivery vehicles include surface modifying agents to target binding of the nanoparticles to tissues or cells of living systems, to enhance nanoparticle sustained release properties, and to protect nanoparticle-incorporated bioactive agents. Unique methods of making small (10 nm to 15 nm, and preferably 20 nm to 35 nm) nanoparticles having a narrow size distribution which can be surface-modified after the nanoparticles are formed is described. Techniques for modifying the surface include a lyophilization technique to produce a phys. adsorbed coating and epoxy-derivatization to functionalize the surface of the nanoparticles to covalently bind mols. of interest. The nanoparticles may also comprise hydroxy-terminated or epoxide-terminated and/or activated multiblock copolymers, having hydrophobic segments which may be polycaprolactone and hydrophilic segments. The nanoparticles are useful for local intravascular administration of smooth muscle inhibitors and antithrombogenic agents as part of interventional cardiac or vascular catheterization such as a balloon angioplasty procedure; direct application to tissues and/or cells for gene therapy, such as the delivery of osteotropic genes or gene segments into bone progenitor cells; or oral administration in an enteric capsule for delivery of protein/peptide based vaccines.

IC A61K009-51
CC 63-6 (Pharmaceuticals)
IT Alkylating agents, biological
Antibiotics
Anticoagulants and Antithrombotics
Emulsifying agents
Encapsulation
Freeze drying
Immunosuppressants
Inflammation inhibitors
Neoplasm inhibitors
Sound and Ultrasound

Surfactants
Thrombolytics
Vaccines
(surface-modified polymer controlled-release nanoparticles for sustained drug delivery)

IT Albumins, biological studies
Alkaloids, biological studies
Antigens
Deoxyribonucleic acids
Enzymes
Gelatins, biological studies
Gene, animal
Glycoproteins, biological studies
Hormones
Nucleic acids
Osteocalcins
Phosphazene polymers
Phosphoproteins
Polyanhydrides
Polyesters, biological studies
Polyethers, biological studies
Quaternary ammonium compounds, biological studies
Ribonucleic acids
Toxins
Urethane polymers
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(surface-modified polymer controlled-release nanoparticles for sustained drug delivery)

IT Surfactants
RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(cationic, surface-modified polymer controlled-release nanoparticles for sustained drug delivery)

IT 50-70-4, D-Glucitol, biological studies 57-09-0, Cetyl trimethyl ammonium bromide 57-10-3, Hexadecanoic acid, biological studies 57-88-5, Cholesterol, biological studies 69-65-8, D-Mannitol 102-71-6, Triethanolamine, biological studies 112-02-7, Hexadecyl trimethyl ammonium chloride 151-21-3, Sodium dodecyl sulfate, biological studies 577-11-7, Sodium dioctyl sulfosuccinate 1069-55-2, Isobutyl cyanoacrylate 3282-73-3, Didodecyldimethyl ammonium bromide 7445-62-7 7727-43-7, Barium sulfate 8007-43-0, Sorbitan sesquioleate 9000-65-1, Tragacanth 9000-69-5, Pectin 9002-89-5, Polyvinyl alcohol 9002-92-0, Polyoxyethylene lauryl ether 9003-39-8, Polyvinyl pyrrolidone 9003-53-6, Polystyrene 9004-32-4 9004-34-6, Cellulose, biological studies 9004-35-7, Cellulose acetate 9004-44-8, Cellulose phthalate 9004-64-2, Hydroxypropyl cellulose 9004-99-3 9005-49-6, Heparin, biological studies 9015-73-0 9050-04-8, CM-cellulose calcium 9050-31-1, Hydroxypropyl methyl cellulose phthalate 10103-46-5, Calcium phosphate 25322-68-3 106392-12-5, Poloxamer 110617-70-4, Poloxamine 128835-92-7, Lipofectin 180741-27-9
RL: MOA (Modifier or additive use); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(surface-modified polymer controlled-release nanoparticles for sustained drug delivery)

L92 ANSWER 22 OF 27 MEDLINE on STN DUPLICATE 1
ACCESSION NUMBER: 2005651659 MEDLINE Full-text

DOCUMENT NUMBER: PubMed ID: 16298011
TITLE: Freeze-dried formulations for in vivo gene delivery of PEGylated polyplex micelles with disulfide crosslinked cores to the liver.
AUTHOR: Miyata Kanjiro; Kakizawa Yoshinori; Nishiyama Nobuhiro; Yamasaki Yuichi; Watanabe Tsunamasa; Kohara Michinori; Kataoka Kazunori
CORPORATE SOURCE: Department of Materials Science and Engineering, Graduate School of Engineering, The University of Tokyo, Bunkyo-ku, Japan.
SOURCE: Journal of controlled release : official journal of the Controlled Release Society, (2005 Dec 5) Vol. 109, No. 1-3, pp. 15-23. Electronic Publication: 2005-11-17. Journal code: 8607908. ISSN: 0168-3659.
PUB. COUNTRY: Netherlands
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE) (RESEARCH SUPPORT, NON-U.S. GOV'T)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 200602
ENTRY DATE: Entered STN: 16 Dec 2005
Last Updated on STN: 1 Mar 2006
Entered Medline: 28 Feb 2006

AB A stable, freeze-dried formulation consisting of a core-shell-type polyplex with a poly(ethylene glycol) (PEG) shell (polyplex micelles) was prepared from a polyion complex of plasmid DNA (pDNA) and thiolated PEG-poly(L-lysine) block copolymers . The use of lyoprotectants was avoided by crosslinking the core with disulfide bonds. The crosslinked polyplex micelles (CPMs) showed excellent stability during freeze-drying and reconstitution processes, which is in sharp contrast with the formation of visible agglomerates from the non-crosslinked polyplex micelles (NCPMs) after a similar process. A thiolation degree higher than 13% of the lysine residues was required to achieve sufficient tolerability of the CPMs during the freeze-drying/reconstitution cycle. Dynamic light scattering measurements and atomic force microscopy observations demonstrated that the original size and shape of the CPMs with a thiolation degree of higher than 13% were maintained even after the freeze-drying. Furthermore, the CPMs reconstituted from the freeze-dried state achieved a transfection efficiency as high as that of the original samples. The intravenous injection of the CPM with a thiolation degree of 37% into mice via the orbital vein led to an appreciably uniform gene expression of a yellow fluorescence protein variant (Venus) in the liver, while no gene expression was observed in the case of the free pDNA injection. The procedure of disulfide crosslinking of the polyplex micell core allows the preparation of non-viral gene vectors as a powder formulation without the use of any lyoprotectants. This achievement is certainly useful for pharmaceutical applications and exhibits many advantages, including easy concentration adjustments of dosing samples, long-term storage stability, and large-scale production reproducibility.

CT Animals
Cell Line
Chemistry, Pharmaceutical
Cross-Linking Reagents
*DNA: AD, administration & dosage
DNA: CH, chemistry
*Disulfides: CH, chemistry
Drug Screening Assays, Antitumor
Excipients
Freeze Drying
*Gene Transfer Techniques
Humans

Light
*Liver: ME, metabolism
Luciferases: GE, genetics
Micelles
Microscopy, Atomic Force
Particle Size
*Polyethylene Glycols: CH, chemistry
Polylysine: AA, analogs & derivatives
Polylysine: CH, chemistry
Scattering, Radiation
Solubility
Spectrophotometry, Ultraviolet
Transfection

L92 ANSWER 23 OF 27 MEDLINE on STN
ACCESSION NUMBER: 2003152970 MEDLINE Full-text
DOCUMENT NUMBER: PubMed ID: 12643741
TITLE: Nanoparticulate DNA packaging using terpolymers of poly(lysine-g-(lactide-b-ethylene glycol)).
AUTHOR: Park Susan; Healy Kevin E
CORPORATE SOURCE: University of California at Berkeley, Department of Bioengineering, 459 Evans Hall, 94270-1762, USA.
CONTRACT NUMBER: T32 DE07042-25 (NIDCR)
SOURCE: Bioconjugate chemistry, (2003 Mar-Apr) Vol. 14, No. 2, pp. 311-9.
Journal code: 9010319. ISSN: 1043-1802.
PUB. COUNTRY: United States
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
(RESEARCH SUPPORT, U.S. GOV'T, P.H.S.)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 200311
ENTRY DATE: Entered STN: 3 Apr 2003
Last Updated on STN: 17 Dec 2003
Entered Medline: 18 Nov 2003

AB Terpolymers of poly(lysine-g-(lactide-b-ethylene glycol)) (pK-pLL-pEG) were synthesized by using ring-opening polymerization and functional end-group grafting. Synthesis was characterized with gel permeation chromatography, proton nuclear magnetic resonance spectroscopy, and a trinitrobenzene sulfonic acid binding assay. Polymer association behavior with DNA was investigated using an ethidium bromide exclusion assay, static light scattering, and scanning electron microscopy. Polylactide molecular weight was varied to investigate its impact on DNA association and resulting complex characteristics. Polylysine (= 8800, DP = 42) modified with either 7400 or 10 870 pLL-pEG reduced the minimum amount of primary amines necessary for complete condensation by 23% and 48%, respectively, compared to unmodified polylysine (pK42). Complexes formed with the highest molecular weight terpolymer demonstrated significantly ($p < 0.1$) greater resistance to DNase I than lyophilized pK42-DNA particles. This study suggests that modification of pK42 with pLL-pEG diblock copolymers impacts polylysine's associative and binding behavior to DNA and resulting particle characteristics. Modulation of terpolymer composition in complexes can enable control over intracellular plasmid dissociation rates to improve transfection efficiency.

CT *DNA: AD, administration & dosage
Deoxyribonuclease I: CH, chemistry
Drug Carriers
Drug Delivery Systems
Electrophoresis, Agar Gel
Hydrolysis
Light

Magnetic Resonance Spectroscopy
Microscopy, Electron
Microspheres
Molecular Weight
Particle Size
Plasmids
*Polyethylene Glycols: CH, chemistry
Scattering, Radiation

L92 ANSWER 24 OF 27 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN
ACCESSION NUMBER: 2004:383204 BIOSIS Full-text
DOCUMENT NUMBER: PREV200400388015
TITLE: Preparation of sterile stabilized nanodispersions.
AUTHOR(S): Le Garrec, Dorothee [Inventor, Reprint Author]; Kabbaj, Meriam [Inventor]; Leroux, Jean-Christophe [Inventor]
CORPORATE SOURCE: Montreal, Canada
ASSIGNEE: Labopharm, Inc., Quebec, Canada
PATENT INFORMATION: US 6780324 20040824
SOURCE: Official Gazette of the United States Patent and Trademark Office Patents, (Aug 24 2004) Vol. 1285, No. 4. http://www.uspto.gov/web/menu/patdata.html. e-file. ISSN: 0098-1133 (ISSN print).
DOCUMENT TYPE: Patent
LANGUAGE: English
ENTRY DATE: Entered STN: 29 Sep 2004
Last Updated on STN: 29 Sep 2004
AB The instant invention is directed toward a process for the production of a sterile, stabilized nanodispersion or loaded micelle comprising a polymer and a biologically active composition; particularly to nanodispersions produced by rehydration of a freeze-dried cake produced via the direct lyophilization of a stabilized solution comprising a polymer, such as an amphiphilic block copolymer or a small molecular weight surfactant, a biologically active agent, an optional additive, and a suitable solvent.
IT Major Concepts
Biochemistry and Molecular Biophysics; Methods and Techniques; Sanitation
IT Chemicals & Biochemicals
loaded micelle: stabilized, sterile; nanodispersion: stabilized, sterile

L92 ANSWER 25 OF 27 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN
ACCESSION NUMBER: 2003:129176 BIOSIS Full-text
DOCUMENT NUMBER: PREV200300129176
TITLE: Porous PEOT/PBT scaffolds for bone tissue engineering: Preparation, characterization, and in vitro bone marrow cell culturing.
AUTHOR(S): Claase, Menno B.; Grijpma, Dirk W.; Mendes, Sandra C.; de Bruijn, Joost D.; Feijen, Jan [Reprint Author]
CORPORATE SOURCE: Faculty of Chemical Technology, Institute for Biomedical Technology (BMTI), University of Twente, 7500 AE, P.O. Box 217, Enschede, Netherlands
j.feijen@ct.utwente.nl
SOURCE: Journal of Biomedical Materials Research, (February 1 2003) Vol. 64A, No. 2, pp. 291-300. print. ISSN: 0021-9304 (ISSN print).
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 5 Mar 2003

Last Updated on STN: 5 Mar 2003

AB The preparation, characterization, and in vitro bone marrow cell culturing on porous PEOT/PBT copolymer scaffolds are described. These scaffolds are meant for use in bone tissue engineering. Previous research has shown that PEOT/PBT copolymers showed in vivo degradation, calcification, and bone bonding. Despite this, several of these copolymers do not support bone marrow cell growth in vitro. Surface modification, such as gas-plasma treatment, is needed to improve the in vitro cell attachment. Porous structures were prepared using a freeze-drying and a salt-leaching technique, the latter one resulting in highly porous interconnected structures of large pore size. Gas-plasma treatment with CO2 generated a surface throughout the entire structure that enabled bone marrow cells to attach. The amount of DNA was determined as a measure for the amount of cells present on the scaffolds. No significant effect of pore size on the amount of DNA present was seen for scaffolds with pore sizes between 250-1000 mum. Light microscopy data showed cells in the center of the scaffolds, more cells were observed in the scaffolds of 425-500 mum and 500-710 mum pore size compared to the ones with 250-425 mum and 710-1000 mum pores.

IT Major Concepts
Biomaterials; Methods and Techniques

IT Parts, Structures, & Systems of Organisms
bone marrow cells: blood and lymphatics, immune system

IT Chemicals & Biochemicals
poly (ether ester) segmented block copolymer;
porous PEOT/PBT scaffolds: biomaterial

L92 ANSWER 26 OF 27 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN

ACCESSION NUMBER: 2002:576465 BIOSIS Full-text
DOCUMENT NUMBER: PREV200200576465
TITLE: Preparation of poly(methacrylic acid-g-poly(ethylene glycol)) nanospheres from methacrylic monomers for pharmaceutical applications.
AUTHOR(S): Donini, C.; Robinson, D. N.; Colombo, P.; Giordano, F.; Peppas, N. A. [Reprint author]
CORPORATE SOURCE: Biomaterials and Drug Delivery Laboratories, School of Chemical Engineering, Purdue University, West Lafayette, IN, 47907-1283, USA
peppas@ecn.purdue.edu
SOURCE: International Journal of Pharmaceutics (Kidlington), (1 October, 2002) Vol. 245, No. 1-2, pp. 83-91. print.
CODEN: IJPHDE. ISSN: 0378-5173.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 7 Nov 2002
Last Updated on STN: 7 Nov 2002

AB Nanospheres of poly(methacrylic acid-grafted-poly(ethylene glycol)) were prepared by solution/precipitation polymerization. As colloidal drug delivery carriers, they present unique properties that render them promising candidates for oral protein delivery. The polymerization was carried out in water and the resulting suspension was freeze- dried. As with many colloidal systems, the freeze- dried suspension showed strong agglomeration after drying. The effects of preparation conditions on the particle size and redispersion were investigated using photon correlation spectroscopy. Furthermore, the ability of different types and concentrations of stabilizers (cryoprotectants and steric stabilizers) in preventing this phenomenon was addressed. Pluronics(R), block copolymers widely used as nonionic surfactants, were the most effective in stabilizing the particles during the freeze-drying process. Pluronic(R) P123, however, increased significantly the particle size of the nanospheres. On the other hand, lyophilizates obtained in the presence of

Pluronic(R) F68 had good redispersion properties and no change in particle size was observed.

IT Major Concepts
Pharmaceuticals (Pharmacology)

IT Chemicals & Biochemicals
Pluronic; hydrogels; methacrylic monomers: pharmaceutical; nanospheres; poly(methacrylic acid-g-poly(ethylene glycol))nanospheres: preparation

L92 ANSWER 27 OF 27 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN

ACCESSION NUMBER: 1996:572378 BIOSIS Full-text
DOCUMENT NUMBER: PREV199799287059
TITLE: Freeze-drying of itraconazole-loaded nanosphere suspensions: A feasibility study.
AUTHOR(S): De Chasteigner, Stephanie; Cave, Guy; Fessi, Hatem; Devissaguet, Jean-Philippe [Reprint author]; Puisieux, Francis
CORPORATE SOURCE: URA CNRS 1218, Faculte de Pharmacie, Universite de Paris XI, 5 avenue Jean-Baptiste Clement, 92 290 Chatenay-Malabry, France
SOURCE: Drug Development Research, (1996) Vol. 38, No. 2, pp. 116-124.
CODEN: DDREDK. ISSN: 0272-4391.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 23 Dec 1996
Last Updated on STN: 23 Dec 1996

AB The present study concerns the stabilization of the association of the new hydrophobic triazole derivative itraconazole within poly-epsilon-caprolactone-nanospheres by means of freeze-drying. We have investigated the freeze-drying of nanospheres, and especially the cryopreservation conditions, with the help of differential scanning calorimetry and zeta potential measurements. Five commonly used cryoprotective agents were evaluated (glucose, sucrose, trehalose, dextran, mannitol at 0, 5, 10, 20, and 30% (w/v)) after freeze-thawing and freeze-drying. The addition of carbohydrates led to a partial protection of the colloidal suspension, with leakage of 30% of itraconazole under the best cryopreservation conditions (10% of glucose or sucrose). Zeta potential measurements revealed that the main destabilization mechanism during freeze- drying was surface modifications of the nanospheres, and particularly drug desorption. Therefore, the hydrophilic surfactant adsorbed at the surface of the nanospheres played an important role in the cryopreservation. Replacing the commonly used non ionic surfactant PLURONIC PE F68 by the anionic surfactant sodium deoxycholate resulted in a complete stabilization of itraconazole-loaded nanospheres after freeze- drying, with no drug desorption, in the presence of 10% sucrose, but not in the presence of glucose. As shown by thermal analysis, PLURONIC PE F68 may crystallize during freezing, which could lead to surface modifications and drug desorption, whereas sodium deoxycholate may not. Moreover, the Tg' of glucose-containing suspensions is 10 degree C lower than Tg' of sucrose-containing suspensions, which may explain the shrinkage of the cake observed in the case of glucose and the homogeneous appearance of the dried product in the case of sucrose.

IT Major Concepts
Pharmacology

IT Chemicals & Biochemicals
ITRACONAZOLE; GLUCOSE; SUCROSE; TREHALOSE; DEXTRAN; MANNITOL; PLURONIC; SODIUM DEOXYCHOLATE; POLY-EPSILON-CAPROLACTONE

L93 ANSWER 1 OF 9 CAPLUS COPYRIGHT 2007 ACS on STN DUPLICATE 1
ACCESSION NUMBER: 2005:863414 CAPLUS Full-text
DOCUMENT NUMBER: 143:344782
TITLE: A DNA-based vaccine for the prevention of human cytomegalovirus-associated diseases
AUTHOR(S): Selinsky, C.; Luke, C.; Wloch, M.; Geall, A. ; Hermanson, G.; Kaslow, D.; Evans, T.
CORPORATE SOURCE: Vical Incorporated, San Diego, CA, USA
SOURCE: Human Vaccines (2005), 1(1), 16-23
CODEN: HVUAAK; ISSN: 1554-8600
PUBLISHER: Landes Bioscience
DOCUMENT TYPE: Journal
LANGUAGE: English
AB Multiple lines of evidence indicate that in the transplant population human cytomegalovirus (HCMV) infection and its associated diseases are controlled by humoral and cellular immune responses similar to those that arise in asymptomatic, healthy individuals during a naturally-acquired infection. The dominant antibody response to HCMV is to the major surface glycoprotein B (gB) and the dominant cellular immune response is to the tegument phosphoprotein (pp65). We propose that an immunotherapeutic plasmid DNA (pDNA) vaccination approach that induces the requisite responses to major immunol. targets of HCMV may provide relief from HCMV-associated diseases in the transplant setting. We have developed gene-based immunotherapeutic products consisting of pDNAs encoding gB and pp65 of HCMV. When tested individually in mice, both pDNAs were highly immunogenic. Relative to vaccination with either gB or pp65 pDNA delivered alone, vaccination with gB and pp65 pDNAs delivered together in phosphate-buffered saline (PBS) elicited reduced antibody and T cell responses to each antigen. Formulating this bivalent vaccine with a poloxamer-based delivery system (VF-P1205-02A), however, significantly increased the antigen-specific immune responses relative to those induced with the bivalent vaccine in PBS, and completely abrogated the decrease in pp65-specific T cell responses observed in mice covaccinated with the pDNAs in PBS. Based on these data, and a favorable safety and toxicity profile in preclin. studies, the bivalent HCMV vaccine consisting of gB and pp65 pDNAs delivered with VF-P1205-02A has advanced to human clin. trials.
REFERENCE COUNT: 64 THERE ARE 64 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L93 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2006:542794 CAPLUS Full-text
DOCUMENT NUMBER: 145:50994
TITLE: Methods for producing block copolymer/amphiphilic particles
INVENTOR(S): Geall, Andrew
PATENT ASSIGNEE(S): Vical Inc., USA
SOURCE: PCT Int. Appl., 129 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006060723	A2	20060608	WO 2005-US43770	20051202
WO 2006060723	A9	20060921		
WO 2006060723	A3	20070419		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR,

KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX,
MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE,
SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC,
VN, YU, ZA, ZM, ZW
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
KG, KZ, MD, RU, TJ, TM, AP, EA, EP, OA

US 2006134221 A1 20060622 US 2005-292280 20051202
PRIORITY APPLN. INFO.: US 2004-632612P P 20041203

AB The invention relates to a method for manufacturing cell delivery particles, pharmaceutical component-particle dispersions, composition comprising cell delivery particles and pharmaceutical compns. comprising pharmaceutical component-particle dispersions. The method comprises homogenization of mixts. comprising amphiphilic components and a block copolymer to form stable particles. The invention is also directed to cell delivery particles and pharmaceutical component-particle dispersions produced by the claimed methods and compns. comprising same. In certain embodiments, the cell delivery particles may further comprise co-lipids. The invention further relates to methods of generating an immune response, treating or preventing a disease or condition, or delivering a biol. active mol. to cells in vitro comprising administration of the pharmaceutical compns. described herein. When certain Poloxamer solns. are subjected to high pressure homogenization in the presence of the cationic lipid DMRIE, small uniform particles are produced with a pos. surface charge. When DNA is incubated with these particles, a stable cell delivery particle is produced that has a pos. surface charge in the presence of a molar excess of DMRIE and a neg. surface charge when using a molar excess of DNA.

L93 ANSWER 3 OF 9 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2005:1289887 CAPLUS Full-text
DOCUMENT NUMBER: 144:35287
TITLE: Compositions comprising codon-optimized polynucleotides encoding influenza virus proteins, transfection-facilitating compound and adjuvant for use as influenza vaccines
INVENTOR(S): Luke, Catherine; Vilalta, Adrian; Wloch, Mary K.; Geall, Andrew; Evans, Thomas G.; Jimenez, Gretchen S.
PATENT ASSIGNEE(S): Vical Incorporated, USA
SOURCE: PCT Int. Appl., 493 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005116270	A2	20051208	WO 2005-US17157	20050518

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ,
LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA,
NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK,
SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU,
ZA, ZM, ZW
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,

AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

AU 2005248361	A1	20051208	AU 2005-248361	20050518
CA 2566355	A1	20051208	CA 2005-2566355	20050518
US 2006024670	A1	20060202	US 2005-131479	20050518
EP 1766094	A2	20070328	EP 2005-750540	20050518

R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, BA, HR, LV, MK, YU

PRIORITY APPLN. INFO.: US 2004-571854P P 20040518
WO 2005-US17157 W 20050518

AB The present invention is directed to enhancing the immune response of a human in need of protection against influenza virus infection by administering in vivo, into a tissue of the human, at least one polynucleotide comprising one or more regions of nucleic acid encoding an influenza virus protein or a fragment, a variant, or a derivative thereof. The present invention is further directed to enhancing the immune response of a human in need of protection against influenza virus infection by administering, in vivo, into a tissue of the human, at least one influenza virus protein or a fragment, a variant, or derivative thereof. The influenza virus protein can be, for example, in purified form or can be an inactivated influenza virus, such as those present in inactivated influenza virus vaccines. The polynucleotide is incorporated into the cells of the human in vivo, and an immunol. effective amount of an immunogenic epitope of an influenza virus, or a fragment, variant, or derivative thereof is produced in vivo. The influenza virus protein (in purified form or in the form of an inactivated IV vaccine) is also administered in an immunol. effective amount

L93 ANSWER 4 OF 9 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:566544 CAPLUS Full-text
DOCUMENT NUMBER: 141:118330
TITLE: Codon-optimized synthetic genes for antigens of human cytomegalovirus infection for use in vaccines
INVENTOR(S): Hermanson, Gary G.; Geall, Andrew J.; Wloch, Mary Kopke
PATENT ASSIGNEE(S): Vical Incorporated, USA
SOURCE: PCT Int. Appl., 231 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004058166	A2	20040715	WO 2003-US40685	20031219
WO 2004058166	A3	20050616		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

CA 2508228	A1	20040715	CA 2003-2508228	20031219
AU 2003301148	A1	20040722	AU 2003-301148	20031219
US 2004209241	A1	20041021	US 2003-738986	20031219
EP 1587816	A2	20051026	EP 2003-814236	20031219
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2006511221	T	20060406	JP 2004-563851	20031219
PRIORITY APPLN. INFO.:			US 2002-435549P	P 20021223
			WO 2003-US40685	W 20031219

AB Synthetic genes for antigens of human cytomegalovirus (HCMV) with codon usage optimized for expression in humans are described for use in vaccines. Viral antigens which are useful in the invention include, but are not limited to pp65, glycoprotein B (gB), IE1, and fragments, variants or derivs. of either of these antigens. The genes for vaccine use may encode deletion derivs. of the antigen, e.g., the putative kinase domain of pp65 and the membrane anchor and endocellular domains in gB. The invention is further directed to methods to induce an immune response to HCMV in a mammal, for example, a human, comprising delivering a plasmid encoding a codon-optimized HCMV antigen as described above. The invention is also directed to pharmaceutical compns. comprising plasmids encoding a codon-optimized HCMV antigen as described above, and further comprising adjuvants, excipients, or immune modulators. Design of synthetic genes by optimization of codon selection for alanine, arginine, proline, serine and threonine and use of the prior art expression vector V10551 is described. The ability of vaccine formulations containing these vectors to raise an immune response to the corresponding antigens was demonstrated in mice.

L93 ANSWER 5 OF 9 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN
ACCESSION NUMBER: 2002:356753 BIOSIS Full-text
DOCUMENT NUMBER: PREV200200356753
TITLE: Efficient calf thymus DNA condensation upon binding with novel bile acid polyamine amides.
AUTHOR(S): Geall, Andrew J.; Al-Hadithi, Dima; Blagbrough, Ian S. [Reprint author]
CORPORATE SOURCE: Department of Pharmacy and Pharmacology, University of Bath, Bath, BA2 7AY, UK
prsisb@bath.ac.uk
SOURCE: Bioconjugate Chemistry, (May-June, 2002) Vol. 13, No. 3, pp. 481-490. print.
CODEN: BCCHES. ISSN: 1043-1802.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 26 Jun 2002
Last Updated on STN: 26 Jun 2002

AB Polyamine amides have been prepared from lithocholic and cholic acids (5beta-colanes) by acylation of tri-Boc-protected tetraamines spermine and thermine. These designed ligands for DNA are polyammonium ions at physiological pH. In NMR spectra, they display 14N-1H 1J = 51 Hz, 1:1:1 triplets, due to the symmetry of the R14NH3+ cations. The binding affinities of these conjugates for calf thymus DNA were determined using an ethidium bromide fluorescence quenching assay and compared with spermine and polylysine. DNA-binding affinities were dependent upon both salt concentration and the hydrophobicity or intermolecular bonding (facial effects) of the lipid moieties in these conjugates. Light scattering at 320 nm was used to determine DNA condensation and particle formation. The observed self-assembly phenomena are discussed with respect to DNA charge neutralization and DNA bending with loss of ethidium cation intercalation sites, ultimately leading to DNA condensation. These polyamine amides are models for lipoplex formation with respect to gene delivery (lipofection), a key first step in gene therapy.

L93 ANSWER 6 OF 9 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN
ACCESSION NUMBER: 2000:295650 BIOSIS Full-text
DOCUMENT NUMBER: PREV200000295650
TITLE: Cheno-, urso- and deoxycholic acid spermine conjugates: Relative binding affinities for calf thymus DNA.
AUTHOR(S): Blagbrough, Ian S. [Reprint author]; Al-Hadithi, Dima; Geall, Andrew J.
CORPORATE SOURCE: Department of Pharmacy and Pharmacology, University of Bath, Bath, BA2 7AY, UK
SOURCE: Tetrahedron, (May 19, 2000) Vol. 56, No. 21, pp. 3439-3447. print.
CODEN: TETRAB. ISSN: 0040-4020.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 12 Jul 2000
Last Updated on STN: 7 Jan 2002

AB Cationic lipid polyamine amides (cholan-24-amides) have been prepared from chenodeoxycholic (3alpha,7alpha-dihydroxy), ursodeoxycholic (3alpha,7beta-dihydroxy), and deoxycholic (3alpha,12alpha-dihydroxy) bile acids (5beta-cholanes) by acylation of tri-Boc protected spermine. Their relative binding affinities for calf thymus DNA were determined using an ethidium bromide displacement assay. These lipopolyamine amides are synthetic vectors for non-viral gene delivery and models for lipoplex formation with respect to lipofection, a key first step in gene therapy.

L93 ANSWER 7 OF 9 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN
ACCESSION NUMBER: 2000:295563 BIOSIS Full-text
DOCUMENT NUMBER: PREV200000295563
TITLE: Homologation of polyamines in the rapid synthesis of lipospermine conjugates and related lipoplexes.
AUTHOR(S): Geall, Andrew J.; Blagbrough, Ian S. [Reprint author]
CORPORATE SOURCE: Department of Pharmacy and Pharmacology, University of Bath, Bath, BA2 7AY, UK
SOURCE: Tetrahedron, (April 14, 2000) Vol. 56, No. 16, pp. 2449-2460. print.
CODEN: TETRAB. ISSN: 0040-4020.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 12 Jul 2000
Last Updated on STN: 7 Jan 2002

AB Lipopolyamine amides are useful cationic lipids, synthetic vectors for non-viral gene delivery. Desymmetrisation of readily available symmetrical polyamines is an important first step in the synthesis of such compounds. The application of trifluoroacetyl as a protecting group allows unsymmetrical polyamine amides to be rapidly prepared. A reductive alkylation homologation strategy allows the sequential, regiocontrolled introduction of additional positive charges. Tetraamine spermine and other polyamine derivatives have been N1-acylated with various single alkyl chains, and their relative binding affinities for DNA determined using an ethidium bromide displacement assay. The important effects on DNA binding affinity of the number of positive charges on the polyamine moiety and also the nature (chain length and degree of unsaturation) of the covalently attached lipid are demonstrated.

L93 ANSWER 8 OF 9 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN
ACCESSION NUMBER: 2000:368979 BIOSIS Full-text

DOCUMENT NUMBER: PREV200000368979
TITLE: Synthesis of cholesteryl polyamine carbamates: pKa studies and condensation of calf thymus DNA.
AUTHOR(S): Geall, Andrew J.; Taylor, Richard J.; Earll, Mark E.; Eaton, Michael A. W.; Blagbrough, Ian S. [Reprint author]
CORPORATE SOURCE: Department of Pharmacy and Pharmacology, University of Bath, Bath, BA2 7AY, UK
SOURCE: Bioconjugate Chemistry, (May-June, 2000) Vol. 11, No. 3, pp. 314-326. print.
CODEN: BCCHES. ISSN: 1043-1802.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 30 Aug 2000
Last Updated on STN: 8 Jan 2002

AB Novel polyamine carbamates have been designed and prepared from cholesterol. Our synthesis uses an orthogonal protection strategy based upon trifluoroacetyl and Boc-protecting groups. These unsymmetrical polyamine carbamates have been prepared from symmetrical (e.g., spermine and thermine) polyamines. Detailed interpretations of 1H and 13C NMR spectroscopic data led to the unambiguous assignment of these polyamine carbamates. These target conjugates contain a variety of positive charges distributed along methylene chains. Their pKas have been determined potentiometrically for conjugates substituted with up to five amino functional groups. Condensation of calf thymus DNA into particles was monitored using light scattering at 320 nm. Salt-dependent binding affinity for calf thymus DNA was determined using an ethidium bromide fluorescence quenching assay. These cholesteryl polyamine carbamates are models for lipoplex formation with respect to gene delivery (lipofection), a key first step in gene therapy.

L93 ANSWER 9 OF 9 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN
ACCESSION NUMBER: 1998:70862 BIOSIS Full-text
DOCUMENT NUMBER: PREV199800070862
TITLE: Homologation of polyamines in the synthesis of lipo-spermine conjugates and related lipoplexes.
AUTHOR(S): Geall, Andrew J.; Blagbrough, Ian S. [Reprint author]
CORPORATE SOURCE: Dep. Pharmacy Pharmacol., Univ. Bath, Bath BA2 7AY, UK
SOURCE: Tetrahedron Letters, (Jan. 29, 1998) Vol. 39, No. 5-6, pp. 443-446. print.
CODEN: TELEAY. ISSN: 0040-4039.
DOCUMENT TYPE: Article
LANGUAGE: English
ENTRY DATE: Entered STN: 24 Feb 1998
Last Updated on STN: 24 Feb 1998

AB Polyamine amides are useful in gene delivery as synthetic (non-viral) vectors or mimics of polycationic histones. The application of a homologation strategy, based upon reductive alkylation, allows unsymmetrical polyamine amides to be prepared in good yield. The interaction of this polyamine amide with calf thymus DNA was demonstrated in an ethidium bromide fluorescence quenching assay.

=>